



ECMWF

Global Data Monitoring Report

November 2016

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme

Contents

1	Introduction	3
2	Data summary - History of events	4
2.1	Radiosondes	4
2.2	Drifting Buoys	6
3	Global monitoring statistics	6
3.1	Data Availability	6
3.2	Data Quality	6
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	8
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	9
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	10
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	11
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	12
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	13
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	14
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	15
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	16
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	17
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	18
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	19
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	21
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	22
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	23
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	24
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	25
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	26
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	35
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	36
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	37
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	38
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	39
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	40
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	41
4	EUCOS Area Monitoring Statistics	47
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	48
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	51
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	54
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	57
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	60
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	63
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	66
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	69
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	72
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	83
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	87
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	91
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	92

5 Annex - Explanations of figures and tables	93
5.1 General	93
5.2 Data Availability	93
5.3 Data Quality	93

Summary of Revisions (in reverse order)

- Revision 28 (June 15) – Monitoring of SYNOP and SYNOP-SHIPS now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) – Selection criteria for SHIPS are modified as per SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPS.
- Revision 26 (Dec 14) – Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) – Monitoring of Radiosondes and ASAPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) – North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) – Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) – Coverage charts for TOVS thickness 300-100 hPa replaced by (A)TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) – Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) – Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) – From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) – Changes to tables and annex to introduce the usage of accepted numbers and observations instead of percentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Oct	Nov	Ident	Time	Oct	Nov
06060	(00)	16	0	03238	(00)	11	26
10304	(00)	19	0	17607	(12)	9	30
10954	(00)	19	0	24641	(00)	19	30
41891	(00)	14	0	24641	(12)	18	30
42667	(12)	18	0	43185	(12)	16	29
43333	(00)	30	9	61901	(12)	17	28
43333	(12)	31	2	64400	(00)	10	25
64500	(00)	18	1	64400	(12)	14	29
64650	(00)	25	1	74006	(12)	4	17
64650	(12)	26	2	76225	(00)	10	27
78954	(00)	23	0	76394	(00)	0	15
78954	(12)	23	0	76526	(00)	0	16
80222	(00)	27	1	76612	(00)	9	28
82400	(00)	26	0	76654	(00)	0	11
82400	(12)	22	0	76692	(00)	0	28
91643	(00)	17	3	78486	(00)	0	14
-	-	-	-	78486	(12)	3	29
-	-	-	-	83650	(12)	14	29
-	-	-	-	83840	(00)	12	28
-	-	-	-	83840	(12)	13	27
-	-	-	-	83928	(00)	9	26
-	-	-	-	83928	(12)	11	26
-	-	-	-	84628	(12)	0	16
-	-	-	-	89512	(12)	0	13
-	-	-	-	89564	(12)	11	27
-	-	-	-	89571	(12)	0	16
-	-	-	-	89592	(12)	0	13
-	-	-	-	89662	(00)	4	29
-	-	-	-	89662	(12)	5	27
-	-	-	-	96509	(00)	4	23

2.2 Drifting Buoys

Surface pressure observations from **1811** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext (85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMP SHIPS and PILOT SHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.


Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE


Figure 1

ECMWF Monitoring Statistics - NOV 2016
Availability - SYNOP/SHIP (manual, auto) pressure
Average number of observations in 24 hours - 121677
LAND - WMO Region I: 4362 II: 18438 III: 2515 IV: 6892
Region V: 8756 VI: 65570 Antarctic: 1124




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2



Magics 2.24.2 (64 bit)


3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential



3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind

Figure 4

ECMWF Monitoring Statistics - NOV 2016
Availability - TEMP/PILOT 300 hPa wind
Average number of observations in 24 hours -
LAND - WMO Region I: 46 II: 494 III: 71 IV: 267
Region V: 138 VI: 258 Antarctic: 19




Magics 2.24.2 (64 bit)



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5

ECMWF Monitoring Statistics - NOV 2016
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 186402




Magics 2.24.2 (64 bit)

3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6

ECMWF Monitoring Statistics - NOV 2016
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 770444




Magics 2.24.2 (64bit)

3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7

ECMWF Monitoring Statistics - NOV 2016
Availability - AMV winds 1000-700 hPa

Average number of observations in 24 hours - 1163442




Magics 2.24.2 (64 bit)

3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8

ECMWF Monitoring Statistics - NOV 2016
Availability - NOAA15 ATOVS : AMSU-A

Average number of observations in 24 hours - 326657




3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1


ECMWF Monitoring Statistics - NOV 2016
Availability - NOAA18 ATOVS : AMSU-A

Average number of observations in 24 hours - 595512



3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2




Magics 2.24.2 (64 bit)

3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - NOV 2016
Availability - METOP ATOVS : AMSU-A

Average number of observations in 24 hours - 446364



Magics 2.24.2 (64 bit)

3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
2HDG2	99	P	SUR	19	0	1.4	6.5	6.6
3FAE4	99	P	SUR	65	0	1.2	-3.9	4.0
4XIS	99	P	SUR	33	0	1.1	3.7	3.8
8884	99	P	SUR	26	0	2.1	5.6	6.0
9V2733	99	P	SUR	16	0	2.7	4.5	5.2
9V9130	99	P	SUR	23	0	1.5	3.6	3.9
A8PQ8	99	P	SUR	18	0	2.2	-4.3	4.8
C6BQ4	99	P	SUR	43	0	2.2	-4.1	4.7
C6BR3	99	P	SUR	22	0	3.9	7.4	8.3
C6BX9	99	P	SUR	21	0	2.2	4.0	4.6
C6FM5	99	P	SUR	24	0	2.3	3.7	4.3
C6FV4	99	P	SUR	24	0	1.4	9.8	10.0
C6NF2	99	P	SUR	51	0	0.6	3.6	3.6
C6YM5	99	P	SUR	77	0	0.9	3.3	3.5
C6YM6	99	P	SUR	40	0	1.2	3.4	3.6
C6YM7	99	P	SUR	64	0	5.0	6.7	8.4
C6ZJ5	99	P	SUR	23	0	2.7	3.6	4.5
ELPP9	99	P	SUR	36	0	0.6	4.1	4.2
J8QB8	99	P	SUR	22	0	2.3	3.5	4.1
KRAU	99	P	SUR	81	0	0.9	6.4	6.4
LAPE7	99	P	SUR	36	0	1.9	5.6	5.9
LGWS	99	P	SUR	41	17	5.2	-2.4	5.8
OWDC2	99	P	SUR	17	0	0.9	6.0	6.0
OZ2049	99	P	SUR	34	0	0.6	-5.2	5.2
PCHM	99	P	SUR	36	0	5.4	-4.4	7.0
UANA	99	P	SUR	85	23	3.5	-2.5	4.3
UCSJ	99	P	SUR	47	0	0.6	3.8	3.9
UCUD	99	P	SUR	30	0	0.4	-9.0	9.0
UGZM	99	P	SUR	32	0	1.4	-3.2	3.5
V7SY6	99	P	SUR	39	0	4.2	3.8	5.7
V7UU7	99	P	SUR	15	0	1.0	3.2	3.3
VRCY7	99	P	SUR	15	0	1.3	4.7	4.9

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
VRDK7	99	P	SUR	70	0	1.3	-3.2	3.5
VRDT5	99	P	SUR	20	0	1.1	-4.6	4.7
VRFI7	99	P	SUR	82	0	1.7	4.6	4.9
VRFU8	99	P	SUR	41	0	1.4	-8.7	8.8
VRGH3	99	P	SUR	45	0	1.8	3.3	3.8
VRKF2	99	P	SUR	16	0	2.3	5.0	5.5
VRMR6	99	P	SUR	55	0	1.4	-4.3	4.5
VRMV3	99	P	SUR	19	0	1.4	3.9	4.2
VRNR5	99	P	SUR	21	1	3.3	10.7	11.2
WACW	99	P	SUR	35	0	0.8	3.9	4.0
WAIU	99	P	SUR	28	1	2.4	-5.9	6.4
WCX8812	99	P	SUR	50	0	1.0	-3.3	3.5
WCZ5535	99	P	SUR	20	0	0.7	-4.3	4.4
WDG8555	99	P	SUR	43	1	2.8	-3.1	4.2
WRJP	99	P	SUR	52	0	0.8	-4.0	4.0
YJUP4	99	P	SUR	121	0	0.4	3.3	3.3
ZDND7	99	P	SUR	21	0	0.7	-3.3	3.4

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. $\geq 15(50)$, AND,
 Manual (Automatic) ABSOLUTE BIAS $\geq 4(4)$ M/S, OR,
 % GROSS ERROR $\geq 25(15)$
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
46004	99	SPEED	SUR	56	0	0	4.9	-7.0	8.5
62123	99	SPEED	SUR	192	0	0	3.3	-5.0	6.0
66021	99	SPEED	SUR	120	0	0	5.4	-4.5	7.1

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. $\geq 15(50)$ (WIND SPEEDS $> 3\text{m/s}$), AND ,
 Manual (Automatic) ABSOLUTE BIAS $\geq 30(25)$ DEGREES, OR,
 STANDARD DEVIATION $\geq 70(50)$ DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42088	99	DIRN	SUR	154	0	0	41.8	-36.2	55.3
46132	99	DIRN	SUR	110	0	0	21.6	31.3	38.1
62123	99	DIRN	SUR	108	0	0	78.9	34.8	86.2

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1500692	99	P	SUR	-16	-34	96	43	4.7	4.8	6.7
15692	99	P	SUR	-16	-34	96	43	4.7	4.8	6.7
2300592	99	P	SUR	6	88	1858	997	0.4	0.3	0.5
23592	99	P	SUR	6	88	1824	970	0.4	0.3	0.5
2600545	99	P	SUR	70	-18	607	283	6.5	-5.8	8.7
2600568	99	P	SUR	85	62	595	522	6.7	-4.1	7.9
26545	99	P	SUR	70	-18	691	317	6.6	-5.1	8.3
26568	99	P	SUR	85	62	710	598	6.5	-4.8	8.0
3400512	99	P	SUR	-18	-131	679	0	0.4	-4.3	4.3
34512	99	P	SUR	-18	-131	672	0	0.3	-4.3	4.3
4401610	99	P	SUR	62	-68	65	0	1.6	-5.0	5.3
4700509	99	P	SUR	60	-33	615	275	8.9	-3.1	9.4
4700551	99	P	SUR	45	-50	632	203	7.2	4.4	8.4
47509	99	P	SUR	60	-33	698	292	9.1	-2.4	9.4
47551	99	P	SUR	45	-50	708	202	7.4	3.3	8.1
4800513	99	P	SUR	76	163	686	629	4.0	-8.9	9.7
4800731	99	P	SUR	70	-98	2507	1037	8.3	-0.4	8.3
4800793	99	P	SUR	75	-176	605	561	4.4	-2.7	5.1
48513	99	P	SUR	76	164	678	622	4.0	-8.8	9.7
48731	99	P	SUR	70	-98	2567	1077	8.3	-0.3	8.3
48793	99	P	SUR	75	-176	710	662	3.8	-2.2	4.4
5500936	99	P	SUR	-35	174	34	0	0.3	-5.2	5.2
55936	99	P	SUR	-35	174	28	0	0.3	-5.2	5.2
6300923	99	P	SUR	65	-28	69	55	6.4	-6.0	8.8
63923	99	P	SUR	65	-28	71	57	6.4	-6.0	8.8
6400534	99	P	SUR	63	-29	66	66	0.0	0.0	0.0
64534	99	P	SUR	63	-29	69	69	0.0	0.0	0.0
8884	99	P	SUR	47	-139	27	0	2.0	5.6	6.0

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. ≥ 20 , AND,
 ABSOLUTE BIAS ≥ 5 M/S, OR,
 % GROSS ERROR ≥ 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
3100260	99	SPEED	SUR	-16	-38	239	0	0	2.3	-5.4	5.9
31260	99	SPEED	SUR	-16	-38	241	0	0	2.3	-5.6	6.1
46004	99	SPEED	SUR	51	-136	350	0	0	5.0	-7.1	8.7
6100002	99	SPEED	SUR	42	5	715	0	0	3.4	7.1	7.9
62123	99	SPEED	SUR	56	2	1142	0	0	3.2	-5.2	6.2

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1400041	99	DIRN	SUR	-8	55	164	0	0	134.7	-45.3	142.1
14041	99	DIRN	SUR	-8	55	151	0	0	130.3	-51.2	140.0
2300003	99	DIRN	SUR	-2	80	284	0	0	127.4	5.1	127.5
23003	99	DIRN	SUR	-2	80	277	0	0	130.4	6.6	130.5
23091	99	DIRN	SUR	18	90	110	0	0	20.3	22.7	30.5
23451	99	DIRN	SUR	15	69	149	0	0	16.7	31.2	35.3
23453	99	DIRN	SUR	8	73	24	0	0	26.5	36.9	45.4
23460	99	DIRN	SUR	7	88	116	0	0	27.4	26.8	38.3
23497	99	DIRN	SUR	11	72	28	0	0	30.9	53.7	61.9
3100231	99	DIRN	SUR	-29	-47	25	1	0	99.6	-18.6	101.4
3100374	99	DIRN	SUR	-25	-45	581	1	0	14.7	-23.5	27.7
3100380	99	DIRN	SUR	-20	-40	578	0	0	27.3	-26.1	37.8
3101000	99	DIRN	SUR	-24	-42	481	0	0	16.3	-26.3	31.0
31053	99	DIRN	SUR	-32	-50	600	1	0	21.4	-21.2	30.1
31231	99	DIRN	SUR	-29	-47	24	1	0	100.9	-21.1	103.1
31374	99	DIRN	SUR	-25	-45	571	1	0	15.2	-23.6	28.1
31380	99	DIRN	SUR	-20	-40	569	0	0	27.3	-27.6	38.8
42088	99	DIRN	SUR	11	-61	736	0	0	43.7	-32.9	54.7
42361	99	DIRN	SUR	28	-93	650	0	0	11.3	28.6	30.7
42365	99	DIRN	SUR	28	-89	396	0	0	13.8	-28.8	31.9
44069	99	DIRN	SUR	41	-73	476	0	0	40.4	-26.2	48.2
45020	99	DIRN	SUR	45	-86	45	0	0	16.6	-26.9	31.6
45142	99	DIRN	SUR	43	-79	572	0	0	15.7	-20.6	26.0
46132	99	DIRN	SUR	50	-128	652	0	0	18.2	29.9	35.0
62123	99	DIRN	SUR	56	2	562	0	0	75.5	34.0	82.8

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
04360	00	Z	925	66	-38	18	0	4.9	39.4	39.7
04360	12	Z	925	66	-38	12	0	2.8	40.3	40.4
04417	00	Z	1000	73	-38	28	22	0.0	-89.0	89.0
04417	12	Z	1000	73	-38	26	19	7.2	-85.3	85.6
21946	12	Z	70	71	148	18	1	65.7	-136.3	151.3
31004	00	Z	50	59	125	27	0	39.6	-132.0	137.8
31004	12	Z	50	59	125	27	0	53.0	-178.5	186.2
31510	12	Z	150	50	127	26	0	23.5	-87.7	90.8
31510	00	Z	250	50	127	28	0	18.2	-71.1	73.4
34122	00	Z	30	52	39	16	0	76.7	-212.7	226.1
34122	12	Z	30	52	39	14	0	81.0	-190.5	207.0
38064	00	Z	50	45	66	17	2	115.3	164.9	201.2
40437	12	Z	850	25	47	30	0	22.9	29.8	37.6
42299	00	Z	1000	27	89	28	0	4.2	-44.5	44.7
42886	00	Z	30	22	84	25	0	36.0	188.5	191.9
43041	00	Z	50	19	82	26	0	13.7	133.6	134.3
43063	00	Z	30	19	74	20	15	133.8	314.1	341.4
43110	00	Z	30	17	73	25	0	14.6	176.6	177.2
43128	12	Z	70	17	78	10	0	25.0	134.6	136.9
43295	12	Z	30	13	78	18	0	18.2	207.2	208.0
43311	00	Z	30	11	73	22	0	16.2	187.2	187.9
43371	12	Z	150	8	77	27	0	27.8	91.9	96.0
47155	12	Z	1000	35	129	28	5	27.7	-59.0	65.2
65202	12	Z	70	7	3	15	1	28.4	334.6	335.8
70350	00	Z	1000	58	-152	30	0	9.3	35.3	36.5
70350	12	Z	1000	58	-152	30	0	7.6	35.7	36.5
76654	12	Z	500	19	-104	15	0	40.1	54.2	67.4
80222	12	Z	925	5	-74	24	0	5.6	-79.4	79.6
83362	12	Z	250	-16	-56	25	0	84.0	56.5	101.2
83566	00	Z	1000	-20	-44	29	0	16.8	-49.0	51.8
89009	12	Z	1000	-90	0	19	14	10.1	-84.0	84.6
89009	00	Z	1000	-90	0	16	14	4.2	-88.4	88.5
96147	12	Z	925	4	108	23	3	13.2	45.1	47.0
96147	00	Z	850	4	108	28	0	11.0	49.5	50.7

LIST OF SUSPECT STATIONS (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
98618	00	Z	200	10	119	27	1	77.4	70.8	104.9
ASEU03	00	Z	1000	40	-69	13	0	15.7	23.9	28.6

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN


WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
42701	00	V	200	23	85	30	0	-5.3	-2.6	16.5
54511	00	V	100	40	116	29	0	-5.3	2.0	16.2

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDSES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION < 30 DEGREES, AND,
 VERTICAL SPREAD < 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)


WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAIS	MAX SPREAD	SD
57972	00	DD	26	113	30	10.9	1.5	4.5

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC


Figure 11
ECMWF Monitoring Statistics - NOV 2016 12 UTC
Suspect TEMP Observations - GEOPOTENTIAL



3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

**Figure 13 ECMWF Monitoring Statistics - NOV 2016 12 UTC
Suspect TEMP/PILOT Observations - WIND**



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE	:	ECMWF
ELEMENT MONITORED	:	GEOPOTENTIAL HEIGHT (METRES)
LEVEL	:	100 HPA
AREA	:	GLOBAL
PERIOD	:	NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD		

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
ASDE01	12	Z	100	5	5.6	0.8
ASDE01	00	Z	100	5	19.3	-18.3
ASDE02	12	Z	100	18	15.8	8.4
ASDE03	00	Z	100	8	10.1	2.7
ASDE03	12	Z	100	11	32.5	29.0
ASDE04	00	Z	100	2	24.8	24.8
ASDK01	00	Z	100	10	14.8	10.7
ASDK01	12	Z	100	10	18.9	13.1
ASDK02	12	Z	100	17	19.8	13.7
ASDK02	00	Z	100	22	24.7	8.6
ASDK03	12	Z	100	10	23.6	22.0
ASDK03	00	Z	100	7	20.9	19.9
ASDK1	00	Z	100	7	13.8	6.4
ASDK1	12	Z	100	8	15.2	6.7
ASDK2	00	Z	100	17	23.8	2.5
ASDK2	12	Z	100	11	17.9	5.0
ASDK3	12	Z	100	6	19.6	17.0
ASDK3	00	Z	100	5	16.6	15.4
ASEU02	00	Z	100	9	26.6	26.0
ASEU02	12	Z	100	6	36.7	36.3
ASEU03	12	Z	100	8	62.4	57.3
ASEU03	00	Z	100	8	30.3	30.2
ASEU04	00	Z	100	3	17.6	-13.3
ASEU04	12	Z	100	7	8.6	2.0
ASEU05	00	Z	100	2	3.3	3.3
ASEU05	12	Z	100	1	0.0	0.0
ASEU06	00	Z	100	0	0.0	0.0
ASEU06	12	Z	100	0	0.0	0.0
ASFR1	00	Z	100	13	10.2	8.7
ASFR1	12	Z	100	13	24.3	18.6
ASFR3	00	Z	100	9	12.4	10.5
ASFR3	12	Z	100	9	17.7	16.4
ASFR4	12	Z	100	8	31.8	29.8
ASFR4	00	Z	100	7	20.6	19.3
DBLK	12	Z	100	24	59.2	36.6
EWM	00	Z	100	1	0.0	0.0
JGQH	00	Z	100	6	20.7	16.6
JGQH	12	Z	100	4	11.5	4.7


3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
ASDE01	12	V	100	5	3.6	-1.4	1.6
ASDE01	00	V	100	5	3.1	0.4	-1.8
ASDE02	12	V	100	16	5.2	-0.3	1.9
ASDE03	00	V	100	6	3.8	-0.5	-0.3
ASDE03	12	V	100	8	4.6	-0.3	0.8
ASDE04	00	V	100	1	8.2	-7.9	-2.1
ASDK01	00	V	100	7	4.8	-2.1	-0.7
ASDK01	12	V	100	8	3.7	0.2	-1.3
ASDK02	12	V	100	11	2.7	0.9	0.1
ASDK02	00	V	100	17	9.5	1.4	1.1
ASDK03	12	V	100	6	3.6	1.3	0.4
ASDK03	00	V	100	6	3.2	0.8	-1.6
ASDK1	00	V	100	7	4.5	-1.0	-0.7
ASDK1	12	V	100	8	3.2	0.7	-0.9
ASDK2	00	V	100	17	9.4	2.0	1.3
ASDK2	12	V	100	10	2.8	0.5	-0.6
ASDK3	12	V	100	6	3.5	1.1	0.5
ASDK3	00	V	100	5	3.8	1.4	-1.9
ASEU02	00	V	100	8	2.9	-0.5	-0.5
ASEU02	12	V	100	5	2.7	-0.9	0.2
ASEU03	12	V	100	7	3.3	0.3	0.6
ASEU03	00	V	100	5	3.5	1.9	0.2
ASEU04	00	V	100	3	2.1	-0.7	-1.5
ASEU04	12	V	100	4	4.1	0.3	-1.0
ASEU05	00	V	100	1	3.1	-1.9	2.4
ASEU05	12	V	100	1	7.3	-6.7	2.9
ASEU06	00	V	100	0	0.0	0.0	0.0
ASEU06	12	V	100	0	0.0	0.0	0.0
ASFR1	00	V	100	11	3.9	1.1	1.1
ASFR1	12	V	100	11	4.4	0.8	2.0
ASFR3	00	V	100	8	3.6	-0.5	-1.6
ASFR3	12	V	100	8	3.8	-0.2	-0.7
ASFR4	12	V	100	7	2.5	-0.6	0.5
ASFR4	00	V	100	6	3.1	0.3	-1.0
DBLK	12	V	100	14	5.0	-0.4	1.3
EWM	00	V	100	1	23.7	-8.1	22.3
JGQH	00	V	100	6	5.4	-1.7	0.8
JGQH	12	V	100	4	5.1	-3.3	0.2


3.2.27 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14
ECMWF Monitoring Statistics: Nov 2016
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.28 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15
ECMWF Monitoring Statistics: Nov 2016
AMV Winds: 150- 400hPa
Wind bias: Observation - FG




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa

Figure 16
ECMWF Monitoring Statistics: Nov 2016
AMV Winds: 700-1000hPa
Wind bias: Observation - FG




3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17
ECMWF Monitoring Statistics: Nov 2016
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18
ECMWF Monitoring Statistics: Nov 2016
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
AAB	99	V	300-150	74	0	0	3.7	-0.7
AAL	99	V	300-150	41305	0	0	4.6	0.2
AAR	99	V	300-150	318	0	0	4.5	-1.8
AAY	99	V	300-150	102	0	0	6.0	0.2
ABD	99	V	300-150	352	0	0	5.1	-0.5
ABW	99	V	300-150	1051	0	0	4.3	-0.7
ABX	99	V	300-150	147	0	1	5.6	0.7
ACA	99	V	300-150	24439	6	0	6.4	0.1
ACI	99	V	300-150	2705	0	0	5.0	0.6
AEA	99	V	300-150	1356	3	0	5.6	0.1
AFL	99	V	300-150	2004	0	0	3.8	0.3
AFR	99	V	300-150	27342	0	0	4.1	0.2
AHY	99	V	300-150	219	23	0	9.3	0.0
AIB	99	V	300-150	31	0	0	4.1	-0.3
AIC	99	V	300-150	1623	5	0	5.5	-0.1
AMX	99	V	300-150	2311	17	0	9.6	-0.1
ANZ	99	V	300-150	18129	2	0	5.3	0.4
AOJ	99	V	300-150	56	0	0	4.1	-0.7
ASA	99	V	300-150	4518	1	0	5.4	0.3
ASL	99	V	300-150	572	0	0	3.8	0.3
ASY	99	V	300-150	503	0	0	4.7	0.4
AUA	99	V	300-150	4210	0	0	4.5	-0.3
AUH	99	V	300-150	22	0	0	5.5	0.8

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
AVA	99	V	300-150	372	1	0	6.4	0.0
AVN	99	V	300-150	110	1	0	5.8	0.5
AXM	99	V	300-150	212	0	0	4.8	0.6
AZA	99	V	300-150	6129	0	0	4.1	0.2
AZG	99	V	300-150	172	0	0	4.5	0.2
BAW	99	V	300-150	52246	4	0	5.4	0.0
BBR	99	V	300-150	104	1	0	9.5	1.2
BEL	99	V	300-150	1517	0	0	4.0	0.2
BER	99	V	300-150	8350	0	0	4.0	0.4
BGH	99	V	300-150	37	0	0	2.5	-0.4
BLU	99	V	300-150	54	0	0	6.3	3.4
BLX	99	V	300-150	227	0	0	4.8	-0.3
BMW	99	V	300-150	55	0	0	3.9	0.3
BOX	99	V	300-150	752	0	0	3.7	-0.0
BWJ	99	V	300-150	25	0	0	3.6	-0.5
CAL	99	V	300-150	536	0	0	4.4	0.5
CAZ	99	V	300-150	106	0	0	4.2	1.0
CCA	99	V	300-150	1557	2	0	6.4	0.2
CES	99	V	300-150	1321	0	0	4.6	-0.0
CFC	99	V	300-150	474	0	0	4.6	-0.2
CFG	99	V	300-150	4217	0	0	4.5	-0.2
CJT	99	V	300-150	185	0	0	3.9	0.2
CKS	99	V	300-150	1849	0	0	4.6	-0.0
CLX	99	V	300-150	3650	0	0	4.4	-0.6
CMB	99	V	300-150	589	0	0	4.7	-0.5
CNV	99	V	300-150	428	0	0	4.8	0.2
CPA	99	V	300-150	913	0	0	4.4	0.7
CRK	99	V	300-150	464	0	0	4.9	0.5
CRL	99	V	300-150	488	0	0	3.9	0.2
CRV	99	V	300-150	26	0	0	3.9	-0.5
CSN	99	V	300-150	860	4	0	6.0	0.6
CTM	99	V	300-150	21	0	0	2.7	0.8
DAH	99	V	300-150	758	0	0	4.1	0.1
DAL	99	V	300-150	55028	0	0	4.3	0.1
DHK	99	V	300-150	2161	0	0	4.8	-0.3
DJT	99	V	300-150	1335	0	0	4.8	0.0
DLH	99	V	300-150	28717	0	0	4.0	-0.0
DUB	99	V	300-150	82	0	0	4.1	-0.5
EDC	99	V	300-150	39	0	0	3.6	-0.0
EDG	99	V	300-150	30	0	0	5.0	-0.2
EDW	99	V	300-150	771	0	0	4.0	0.3
EIN	99	V	300-150	13957	0	0	4.2	0.1
EJM	99	V	300-150	757	19	0	11.5	-0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
ELY	99	V	300-150	2451	0	0	4.5	-0.2
ESR	99	V	300-150	70	1	3	7.0	0.6
ETD	99	V	300-150	3708	5	0	5.4	-0.1
ETH	99	V	300-150	2000	17	0	8.4	0.1
EWG	99	V	300-150	1662	0	0	4.1	0.2
FDX	99	V	300-150	5379	0	0	4.2	-0.1
FIN	99	V	300-150	357	1	0	3.7	0.2
FJI	99	V	300-150	5021	0	0	4.8	0.4
FPG	99	V	300-150	50	0	0	4.5	-1.0
FWI	99	V	300-150	1158	0	0	3.7	0.1
FYG	99	V	300-150	172	0	0	3.6	-0.3
FYL	99	V	300-150	43	0	0	4.6	1.0
GAF	99	V	300-150	110	44	0	13.3	0.6
GEC	99	V	300-150	2555	0	0	4.1	-0.0
GLJ	99	V	300-150	33	0	0	3.5	-0.4
GLO	99	V	300-150	56	2	0	8.3	0.0
GMA	99	V	300-150	90	0	0	3.5	0.7
GOL	99	V	300-150	28	0	0	5.3	2.5
GTH	99	V	300-150	24	0	0	3.3	-0.8
GTI	99	V	300-150	2290	0	0	4.7	-0.5
HAL	99	V	300-150	3728	0	0	4.9	0.6
HRS	99	V	300-150	35	0	0	4.2	0.3
HVN	99	V	300-150	20	0	0	2.4	-0.1
HZS	99	V	300-150	45	0	0	3.5	-1.2
HZS	99	V	300-150	43	0	0	3.8	-0.1
IBE	99	V	300-150	2849	0	0	4.6	0.2
ICE	99	V	300-150	73	1	11	4.0	-1.3
ICL	99	V	300-150	503	0	0	5.1	-0.8
ICV	99	V	300-150	241	0	0	4.2	-0.1
IJM	99	V	300-150	119	44	0	7.0	1.7
ISS	99	V	300-150	28	0	0	5.3	0.1
JAF	99	V	300-150	1325	9	0	6.5	-0.2
JAI	99	V	300-150	1198	0	0	3.8	-0.0
JAS	99	V	300-150	107	0	0	4.2	0.4
JBU	99	V	300-150	41	0	71	3.2	-0.4
JCB	99	V	300-150	21	0	5	3.6	0.3
JEF	99	V	300-150	23	0	0	2.7	-0.1
JJA	99	V	300-150	58	0	2	5.5	0.6
JME	99	V	300-150	30	50	0	16.5	0.1
JST	99	V	300-150	2149	2	0	11.5	0.8
KAC	99	V	300-150	1048	0	0	4.7	0.1
KAI	99	V	300-150	77	1	0	6.4	-0.6
KAL	99	V	300-150	1341	0	0	5.0	0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
KAY	99	V	300-150	78	0	0	3.7	0.6
KIW	99	V	300-150	248	0	0	4.8	0.4
KLM	99	V	300-150	18134	1	0	4.6	-0.0
LAN	99	V	300-150	1766	13	0	10.1	0.3
LCO	99	V	300-150	79	0	0	6.0	-1.3
LDM	99	V	300-150	98	68	0	21.4	0.4
LEA	99	V	300-150	64	0	0	4.1	-0.1
LMJ	99	V	300-150	41	0	0	3.8	-0.4
LOT	99	V	300-150	1764	24	0	11.2	-0.1
LUC	99	V	300-150	56	91	0	27.9	-0.0
LXJ	99	V	300-150	47	0	0	3.7	-0.6
MAS	99	V	300-150	289	0	0	3.8	0.2
MHV	99	V	300-150	28	0	0	3.5	-0.5
MJF	99	V	300-150	26	0	0	3.7	0.0
MLM	99	V	300-150	58	100	0	0.0	0.0
MMD	99	V	300-150	119	0	0	4.2	0.2
MPH	99	V	300-150	730	0	0	4.5	-0.5
MSR	99	V	300-150	913	0	0	4.0	-0.1
NAF	99	V	300-150	54	0	0	5.0	1.5
NAM	99	V	300-150	43	0	0	4.3	-0.4
NAX	99	V	300-150	7806	19	0	9.8	-0.2
NCA	99	V	300-150	183	0	0	5.7	-0.7
NJE	99	V	300-150	524	35	0	12.0	-0.2
NOS	99	V	300-150	572	0	0	6.7	0.2
NWS	99	V	300-150	514	0	0	4.1	-0.1
OAE	99	V	300-150	180	1	1	4.0	0.8
OPM	99	V	300-150	24	100	0	0.0	0.0
PAC	99	V	300-150	183	1	0	4.4	0.4
PAL	99	V	300-150	114	3	0	8.5	0.0
PAT	99	V	300-150	90	0	0	4.4	0.3
PIA	99	V	300-150	497	0	0	4.3	0.1
PLM	99	V	300-150	23	0	0	3.7	0.1
PVJ	99	V	300-150	57	0	0	4.1	0.8
QAF	99	V	300-150	47	0	0	3.4	0.2
QFA	99	V	300-150	16690	0	0	5.0	0.4
QQE	99	V	300-150	35	60	0	4.8	-1.5
QTR	99	V	300-150	9108	0	0	4.3	-0.0
RAM	99	V	300-150	521	23	0	10.5	0.4
RCH	99	V	300-150	5471	0	0	5.3	0.2
RJA	99	V	300-150	798	19	0	8.2	-0.2
ROJ	99	V	300-150	59	0	0	3.4	0.2
ROU	99	V	300-150	1039	0	0	4.7	-0.2
RRR	99	V	300-150	186	0	0	4.0	0.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
SAM	99	V	300-150	245	0	0	4.3	0.0
SAS	99	V	300-150	4751	0	0	3.8	-0.0
SCX	99	V	300-150	32	3	0	7.5	0.6
SHE	99	V	300-150	79	0	0	3.7	1.0
SIA	99	V	300-150	2806	0	0	4.1	0.1
SIO	99	V	300-150	108	0	0	4.0	0.0
SLM	99	V	300-150	177	0	0	3.1	-0.1
SOL	99	V	300-150	35	0	0	7.2	-0.5
SOO	99	V	300-150	574	0	0	4.5	-0.4
SPA	99	V	300-150	77	0	0	4.8	-1.0
SPU	99	V	300-150	43	0	0	6.2	0.7
SQC	99	V	300-150	632	0	0	4.4	-0.8
SUI	99	V	300-150	43	0	0	4.3	1.2
SVA	99	V	300-150	3044	0	0	4.0	0.1
SVW	99	V	300-150	98	17	0	6.7	-0.4
SWR	99	V	300-150	10787	0	0	4.1	0.2
SXN	99	V	300-150	59	0	0	4.5	-0.8
TAM	99	V	300-150	447	0	0	4.4	-0.1
TAP	99	V	300-150	967	0	0	5.2	1.1
TAR	99	V	300-150	187	0	0	3.5	0.7
TAY	99	V	300-150	757	0	0	4.3	0.2
TCV	99	V	300-150	44	0	0	9.3	0.4
TCX	99	V	300-150	3650	0	0	4.1	0.2
TFL	99	V	300-150	2134	12	0	8.0	-0.1
TGM	99	V	300-150	163	9	0	9.3	0.0
THA	99	V	300-150	168	0	0	4.1	0.7
THT	99	V	300-150	3012	0	0	4.3	0.3
THY	99	V	300-150	7210	0	0	4.5	0.0
TMN	99	V	300-150	76	0	3	6.0	1.6
TOM	99	V	300-150	5711	12	0	8.5	0.1
TRK	99	V	300-150	22	0	0	3.4	-0.6
TSC	99	V	300-150	2944	0	0	4.3	0.2
TVP	99	V	300-150	366	0	0	4.2	0.2
TWB	99	V	300-150	60	2	0	6.1	1.7
TWY	99	V	300-150	114	31	1	10.1	-0.4
UAE	99	V	300-150	10224	0	0	4.5	-0.0
UAL	99	V	300-150	70853	2	2	5.9	0.1
ULA	99	V	300-150	27	0	0	4.2	-0.1
ULC	99	V	300-150	103	69	0	14.4	-1.5
UPS	99	V	300-150	4590	0	0	4.5	0.2
UZB	99	V	300-150	33	0	0	3.0	1.1
VIR	99	V	300-150	22334	5	0	5.8	0.0
VJT	99	V	300-150	697	62	0	26.6	-0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEED BIAS
VKG	99	V	300-150	635	0	0	3.7	0.2
VMP	99	V	300-150	131	24	0	16.9	0.3
VOZ	99	V	300-150	5379	0	0	4.9	0.5
WGT	99	V	300-150	79	0	0	4.2	-0.4
WJA	99	V	300-150	2352	1	0	5.4	0.2
WOW	99	V	300-150	338	0	1	3.5	-0.1
XAX	99	V	300-150	338	0	0	4.2	0.5
XLF	99	V	300-150	709	0	0	4.4	0.5
YZR	99	V	300-150	24	0	0	6.8	-2.4

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	30	20.4	16.4
01001	00	Z	50	31	14.7	9.8
01028	00	Z	50	29	17.1	10.1
01028	12	Z	50	29	11.9	7.8
01400	12	Z	50	22	32.8	27.4
01400	00	Z	50	23	46.3	30.0
01415	12	Z	50	29	15.8	11.4
01415	00	Z	50	29	18.0	13.8
02365	12	Z	50	28	15.8	12.6
02365	00	Z	50	28	11.5	6.5
02591	12	Z	50	27	24.0	21.8
02591	00	Z	50	26	20.0	18.0
02836	12	Z	50	30	16.3	14.2
02836	00	Z	50	30	13.6	7.5
02963	00	Z	50	30	11.9	8.6
02963	12	Z	50	31	14.6	13.4
03005	00	Z	50	28	12.7	10.5
03005	12	Z	50	30	16.0	14.2
03238	00	Z	50	20	23.4	17.3
03238	12	Z	50	6	24.6	23.5
03808	12	Z	50	26	16.4	14.8
03808	00	Z	50	29	16.4	14.6
03918	12	Z	50	18	26.0	22.5
03918	00	Z	50	26	14.6	12.3
03953	00	Z	50	29	25.0	23.2
03953	12	Z	50	30	31.8	29.8
04018	12	Z	50	24	22.1	17.7
04018	00	Z	50	23	19.6	15.1
04220	00	Z	50	30	14.4	11.7
04220	12	Z	50	30	9.8	7.6
04270	12	Z	50	28	15.7	7.6
04270	00	Z	50	26	22.3	10.8
04320	12	Z	50	28	14.0	11.0
04320	00	Z	50	30	14.6	13.7
04339	00	Z	50	28	21.0	10.4
04339	12	Z	50	29	22.9	8.9
04360	00	Z	50	6	38.9	35.0
04360	12	Z	50	6	39.7	37.4
06011	00	Z	50	23	15.7	11.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	50	27	29.6	25.0
06260	00	Z	50	28	26.4	13.1
06260	12	Z	50	4	38.0	30.4
06610	12	Z	50	30	15.0	4.6
06610	00	Z	50	29	16.8	4.3
07110	12	Z	50	29	43.5	42.5
07110	00	Z	50	28	35.4	34.1
07510	12	Z	50	26	41.6	39.8
07510	00	Z	50	28	37.2	36.1
07645	00	Z	50	27	30.7	28.1
07645	12	Z	50	29	36.9	33.7
07761	00	Z	50	22	23.9	17.8
07761	12	Z	50	29	26.2	23.6
08001	12	Z	50	26	45.0	34.4
08001	00	Z	50	27	19.2	17.1
08221	00	Z	50	29	21.4	19.5
08221	12	Z	50	30	26.4	22.3
08302	00	Z	50	30	12.1	9.8
08302	12	Z	50	29	34.4	14.3
08508	12	Z	50	29	38.1	34.6
08522	12	Z	50	29	23.6	22.6
08579	12	Z	50	29	29.2	27.3
10035	12	Z	50	27	18.3	14.1
10035	00	Z	50	28	11.0	5.3
10393	12	Z	50	29	12.3	8.1
10393	00	Z	50	29	11.0	6.5
10410	12	Z	50	30	22.1	16.8
10410	00	Z	50	28	13.4	9.5
10739	00	Z	50	30	17.3	14.2
10739	12	Z	50	29	25.0	20.5
11035	00	Z	50	30	17.8	14.5
11035	12	Z	50	30	15.9	13.5
12982	12	Z	50	26	54.5	50.1
12982	00	Z	50	27	72.5	30.6
16080	12	Z	50	28	17.0	14.3
16080	00	Z	50	21	30.6	4.1
16245	12	Z	50	29	13.8	10.0
16245	00	Z	50	29	12.5	7.5
16320	00	Z	50	25	17.9	15.4
16320	12	Z	50	28	18.6	15.2
16429	00	Z	50	36	17.1	12.6
16429	12	Z	50	33	11.6	7.1
16622	00	Z	50	28	32.5	28.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	50	28	29.8	26.3
17607	12	Z	50	28	19.0	17.5
26435	00	Z	50	15	10.3	-4.4
60018	00	Z	50	30	14.1	12.4
60018	12	Z	50	30	17.3	12.4
ASDE01	12	Z	50	3	24.2	22.5
ASDE01	00	Z	50	5	8.6	-6.3
ASDE03	00	Z	50	3	14.1	6.3
ASDE03	12	Z	50	9	52.7	49.6
ASDE04	00	Z	50	0	0.0	0.0
ASDK01	00	Z	50	5	26.8	22.6
ASDK01	12	Z	50	8	25.8	20.7
ASDK02	12	Z	50	11	32.9	24.9
ASDK02	00	Z	50	16	20.7	14.0
ASDK03	12	Z	50	5	23.1	19.7
ASDK03	00	Z	50	6	24.4	22.9
ASDK1	00	Z	50	5	24.0	18.1
ASDK1	12	Z	50	8	20.8	13.3
ASDK2	00	Z	50	16	20.5	9.6
ASDK2	12	Z	50	10	29.8	18.3
ASDK3	12	Z	50	5	17.8	10.8
ASDK3	00	Z	50	6	21.3	19.9
ASEU02	00	Z	50	8	32.4	31.8
ASEU02	12	Z	50	4	47.9	47.8
ASEU03	12	Z	50	6	76.0	73.6
ASEU03	00	Z	50	5	46.1	46.1
ASEU04	00	Z	50	2	8.3	-4.0
ASEU04	12	Z	50	4	18.3	14.0
ASEU05	00	Z	50	0	0.0	0.0
ASEU05	12	Z	50	1	0.0	0.0
ASEU06	00	Z	50	0	0.0	0.0
ASEU06	12	Z	50	0	0.0	0.0
ASFR1	00	Z	50	11	21.5	18.7
ASFR1	12	Z	50	11	40.9	35.3
ASFR3	00	Z	50	8	23.8	22.0
ASFR3	12	Z	50	8	33.3	31.0
ASFR4	12	Z	50	5	54.0	52.9
ASFR4	00	Z	50	4	25.9	25.4
DBLK	12	Z	50	14	66.9	49.0
EWM	00	Z	50	0	0.0	0.0

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 50 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	30	4.2	0.3	-0.1
01001	00	V	50	30	3.6	0.2	-0.1
01028	00	V	50	29	2.6	-0.2	0.0
01028	12	V	50	29	2.8	0.7	0.1
01400	12	V	50	19	4.7	0.8	-0.5
01400	00	V	50	16	3.4	-0.1	-0.3
01415	12	V	50	28	5.4	-0.1	0.7
01415	00	V	50	28	5.5	-0.6	0.6
02365	12	V	50	26	4.8	0.6	0.6
02365	00	V	50	26	4.5	-0.1	0.7
02591	12	V	50	26	4.0	0.5	-0.8
02591	00	V	50	24	4.7	-0.9	-0.5
02836	12	V	50	27	4.0	0.0	0.0
02836	00	V	50	30	3.5	0.2	-0.2
02963	00	V	50	30	3.6	0.0	0.1
02963	12	V	50	26	4.2	-0.2	-0.6
03005	00	V	50	26	4.8	0.4	0.3
03005	12	V	50	28	4.8	-0.2	0.0
03238	00	V	50	20	6.2	1.0	1.5
03238	12	V	50	6	3.9	0.2	0.7
03808	12	V	50	25	4.0	0.1	0.9
03808	00	V	50	27	4.6	-1.0	0.3
03918	12	V	50	18	6.2	1.5	0.9
03918	00	V	50	25	4.2	0.7	1.6
03953	00	V	50	29	4.2	0.3	0.2
03953	12	V	50	30	4.5	0.5	-0.1
04018	12	V	50	19	4.6	-0.2	-0.7
04018	00	V	50	18	4.0	-0.9	0.6
04220	00	V	50	30	4.4	-0.2	-0.4
04220	12	V	50	30	3.8	-0.4	-0.1
04270	12	V	50	28	7.3	1.0	0.4
04270	00	V	50	25	6.4	-0.2	0.4
04320	12	V	50	28	3.2	1.2	0.6
04320	00	V	50	30	3.2	0.7	0.0
04339	00	V	50	28	4.0	0.3	0.2
04339	12	V	50	29	3.5	-0.8	0.1
04360	00	V	50	6	3.4	0.0	0.4
04360	12	V	50	6	5.8	0.9	-0.4
06011	00	V	50	23	3.7	-0.9	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	50	27	4.6	-0.1	0.4
06260	00	V	50	28	3.5	0.6	-0.5
06260	12	V	50	4	4.2	2.3	-1.6
06610	12	V	50	30	5.6	-0.1	1.8
06610	00	V	50	29	4.0	-0.2	0.1
07110	12	V	50	29	3.3	1.0	0.4
07110	00	V	50	28	3.9	-0.6	0.2
07510	12	V	50	26	3.9	0.7	0.2
07510	00	V	50	28	4.2	-0.1	-0.1
07645	00	V	50	27	5.2	1.6	0.4
07645	12	V	50	29	4.2	0.2	0.5
07761	00	V	50	22	3.7	0.2	-0.3
07761	12	V	50	29	4.8	0.9	-0.7
08001	12	V	50	24	3.8	0.8	1.1
08001	00	V	50	21	3.3	-0.1	0.0
08221	00	V	50	27	3.0	0.6	0.2
08221	12	V	50	30	3.7	0.6	0.2
08302	00	V	50	30	4.0	0.5	-0.9
08302	12	V	50	29	4.9	1.1	-0.2
08508	12	V	50	29	3.5	0.5	-0.2
08522	12	V	50	29	4.6	2.5	0.8
08579	12	V	50	29	3.9	0.9	0.3
10035	12	V	50	27	4.0	1.7	0.0
10035	00	V	50	26	4.7	1.4	0.4
10393	12	V	50	29	4.8	0.7	-0.1
10393	00	V	50	29	4.5	1.6	-0.7
10410	12	V	50	30	4.1	0.7	-0.1
10410	00	V	50	28	3.8	0.0	0.7
10739	00	V	50	28	4.1	0.1	1.0
10739	12	V	50	29	4.2	1.4	0.2
11035	00	V	50	30	4.6	0.2	0.7
11035	12	V	50	30	3.8	1.2	-0.3
12982	12	V	50	26	3.7	0.9	-0.4
12982	00	V	50	25	3.6	1.0	0.5
16080	12	V	50	28	4.7	1.4	0.8
16080	00	V	50	18	5.0	-0.6	0.2
16245	12	V	50	29	4.5	0.5	0.2
16245	00	V	50	29	4.8	0.5	-1.1
16320	00	V	50	24	4.0	0.7	-0.5
16320	12	V	50	28	5.2	1.1	-0.4
16429	00	V	50	30	4.1	1.1	0.1
16429	12	V	50	30	5.4	0.0	-1.0
16622	00	V	50	13	3.6	1.3	1.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	50	28	4.3	1.2	0.6
17607	12	V	50	24	4.3	0.1	-0.9
26435	00	V	50	14	3.7	-0.6	0.1
60018	00	V	50	29	4.2	0.3	1.1
60018	12	V	50	30	4.2	1.5	0.5
ASDE01	12	V	50	3	2.9	-0.2	-1.3
ASDE01	00	V	50	4	4.6	0.5	-1.0
ASDE03	00	V	50	3	2.7	0.5	1.0
ASDE03	12	V	50	6	4.3	1.7	0.8
ASDE04	00	V	50	0	0.0	0.0	0.0
ASDK01	00	V	50	5	6.8	-0.2	0.5
ASDK01	12	V	50	7	3.9	-0.4	0.3
ASDK02	12	V	50	10	5.7	0.9	-0.7
ASDK02	00	V	50	15	11.5	3.4	2.9
ASDK03	12	V	50	5	4.1	0.4	1.1
ASDK03	00	V	50	6	3.9	0.1	1.2
ASDK1	00	V	50	5	7.0	-0.3	-0.5
ASDK1	12	V	50	7	3.6	0.1	0.6
ASDK2	00	V	50	15	12.0	3.5	2.5
ASDK2	12	V	50	10	5.0	0.5	-0.8
ASDK3	12	V	50	5	4.8	0.6	0.4
ASDK3	00	V	50	6	4.1	0.1	0.9
ASEU02	00	V	50	8	4.1	0.0	0.0
ASEU02	12	V	50	4	4.2	0.6	2.1
ASEU03	12	V	50	5	3.7	1.6	-2.2
ASEU03	00	V	50	5	3.3	0.3	-2.1
ASEU04	00	V	50	2	4.9	-4.4	0.8
ASEU04	12	V	50	2	1.2	-1.1	0.2
ASEU05	00	V	50	0	0.0	0.0	0.0
ASEU05	12	V	50	1	8.4	-7.3	4.2
ASEU06	00	V	50	0	0.0	0.0	0.0
ASEU06	12	V	50	0	0.0	0.0	0.0
ASFR1	00	V	50	11	2.9	-0.4	-1.0
ASFR1	12	V	50	11	4.0	0.5	1.0
ASFR3	00	V	50	8	3.0	1.1	-0.7
ASFR3	12	V	50	8	3.2	-1.4	-0.2
ASFR4	12	V	50	5	4.1	1.1	-0.5
ASFR4	00	V	50	4	4.1	-0.3	-2.3
DBLK	12	V	50	14	3.9	0.3	1.4
EWM	00	V	50	0	0.0	0.0	0.0

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	30	12.0	7.3
01001	00	Z	100	31	8.4	2.3
01028	00	Z	100	29	10.2	3.0
01028	12	Z	100	29	6.2	2.5
01400	12	Z	100	26	20.0	15.0
01400	00	Z	100	24	41.0	20.4
01415	12	Z	100	29	12.4	1.2
01415	00	Z	100	29	13.7	5.3
02365	12	Z	100	29	6.7	4.4
02365	00	Z	100	30	6.9	-0.2
02591	12	Z	100	27	13.0	11.2
02591	00	Z	100	27	12.1	10.3
02836	12	Z	100	30	8.7	5.5
02836	00	Z	100	30	8.6	-0.5
02963	00	Z	100	30	6.1	2.3
02963	12	Z	100	31	6.8	3.6
03005	00	Z	100	29	4.2	1.7
03005	12	Z	100	32	7.6	4.1
03238	00	Z	100	24	14.1	11.0
03238	12	Z	100	8	11.5	9.8
03808	12	Z	100	31	9.0	7.1
03808	00	Z	100	30	10.2	7.4
03918	12	Z	100	19	17.1	14.2
03918	00	Z	100	28	9.8	4.0
03953	00	Z	100	29	12.6	9.6
03953	12	Z	100	30	16.6	14.7
04018	12	Z	100	27	13.4	10.1
04018	00	Z	100	26	11.9	6.3
04220	00	Z	100	30	7.4	3.6
04220	12	Z	100	30	7.1	2.7
04270	12	Z	100	29	13.8	1.4
04270	00	Z	100	27	9.7	-0.3
04320	12	Z	100	28	7.7	3.7
04320	00	Z	100	30	8.2	5.4
04339	00	Z	100	28	18.5	2.9
04339	12	Z	100	29	22.8	3.6
04360	00	Z	100	9	38.3	34.8
04360	12	Z	100	7	39.9	39.3
06011	00	Z	100	25	8.9	1.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	100	28	14.5	8.5
06260	00	Z	100	28	18.1	4.5
06260	12	Z	100	4	20.4	14.8
06610	12	Z	100	30	8.7	1.5
06610	00	Z	100	30	11.5	0.8
07110	12	Z	100	30	27.3	26.2
07110	00	Z	100	30	22.6	20.6
07510	12	Z	100	27	27.6	26.7
07510	00	Z	100	28	22.0	21.3
07645	00	Z	100	30	18.1	14.1
07645	12	Z	100	30	22.6	19.9
07761	00	Z	100	27	11.3	7.3
07761	12	Z	100	29	17.7	14.6
08001	12	Z	100	29	32.0	22.1
08001	00	Z	100	30	12.7	9.9
08221	00	Z	100	29	12.5	10.5
08221	12	Z	100	30	17.4	12.8
08302	00	Z	100	30	6.8	0.1
08302	12	Z	100	29	25.3	5.3
08508	12	Z	100	30	27.3	25.1
08522	12	Z	100	28	13.2	10.7
08579	12	Z	100	29	15.2	13.1
10035	12	Z	100	29	10.0	4.6
10035	00	Z	100	31	6.8	0.4
10393	12	Z	100	31	4.5	1.4
10393	00	Z	100	30	6.1	-2.8
10410	12	Z	100	30	13.5	6.9
10410	00	Z	100	29	8.0	1.1
10739	00	Z	100	30	9.7	7.7
10739	12	Z	100	30	17.0	13.6
11035	00	Z	100	30	9.4	4.5
11035	12	Z	100	31	8.8	3.8
12982	12	Z	100	27	31.2	28.0
12982	00	Z	100	28	9.2	6.8
16080	12	Z	100	29	11.5	5.9
16080	00	Z	100	29	23.6	-3.0
16245	12	Z	100	29	8.6	-0.1
16245	00	Z	100	30	11.7	-0.9
16320	00	Z	100	30	19.3	2.2
16320	12	Z	100	28	9.9	5.7
16429	00	Z	100	36	9.6	3.7
16429	12	Z	100	33	8.1	-1.2
16622	00	Z	100	28	21.6	16.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	100	28	17.2	13.1
17607	12	Z	100	30	10.4	7.8
26435	00	Z	100	15	10.1	-6.1
60018	00	Z	100	30	7.4	4.3
60018	12	Z	100	30	10.6	3.9
ASDE01	12	Z	100	5	5.6	0.8
ASDE01	00	Z	100	5	19.3	-18.3
ASDE03	00	Z	100	8	10.1	2.7
ASDE03	12	Z	100	11	32.5	29.0
ASDE04	00	Z	100	2	24.8	24.8
ASDK01	00	Z	100	10	14.8	10.7
ASDK01	12	Z	100	10	18.9	13.1
ASDK02	12	Z	100	17	19.8	13.7
ASDK02	00	Z	100	22	24.7	8.6
ASDK03	12	Z	100	10	23.6	22.0
ASDK03	00	Z	100	7	20.9	19.9
ASDK1	00	Z	100	7	13.8	6.4
ASDK1	12	Z	100	8	15.2	6.7
ASDK2	00	Z	100	17	23.8	2.5
ASDK2	12	Z	100	11	17.9	5.0
ASDK3	12	Z	100	6	19.6	17.0
ASDK3	00	Z	100	5	16.6	15.4
ASEU02	00	Z	100	9	26.6	26.0
ASEU02	12	Z	100	6	36.7	36.3
ASEU03	12	Z	100	8	62.4	57.3
ASEU03	00	Z	100	8	30.3	30.2
ASEU04	00	Z	100	3	17.6	-13.3
ASEU04	12	Z	100	7	8.6	2.0
ASEU05	00	Z	100	2	3.3	3.3
ASEU05	12	Z	100	1	0.0	0.0
ASEU06	00	Z	100	0	0.0	0.0
ASEU06	12	Z	100	0	0.0	0.0
ASFR1	00	Z	100	13	10.2	8.7
ASFR1	12	Z	100	13	24.3	18.6
ASFR3	00	Z	100	9	12.4	10.5
ASFR3	12	Z	100	9	17.7	16.4
ASFR4	12	Z	100	8	31.8	29.8
ASFR4	00	Z	100	7	20.6	19.3
DBLK	12	Z	100	24	59.2	36.6
EWM	00	Z	100	1	0.0	0.0

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 100 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	30	3.1	0.5	-0.1
01001	00	V	100	30	3.6	0.9	-1.0
01028	00	V	100	29	2.6	0.0	-0.3
01028	12	V	100	29	2.6	-0.2	-0.2
01400	12	V	100	19	3.2	0.2	-0.2
01400	00	V	100	19	2.9	0.3	-0.3
01415	12	V	100	29	4.3	-0.5	-0.4
01415	00	V	100	28	5.1	-1.6	0.5
02365	12	V	100	29	3.5	0.8	-0.6
02365	00	V	100	28	3.4	0.7	0.1
02591	12	V	100	27	3.5	0.4	-0.6
02591	00	V	100	26	5.1	-0.5	-0.2
02836	12	V	100	30	3.0	-0.4	0.1
02836	00	V	100	30	2.5	0.0	0.1
02963	00	V	100	30	3.3	0.1	-0.1
02963	12	V	100	29	3.0	-0.2	0.3
03005	00	V	100	27	4.0	0.4	-0.2
03005	12	V	100	30	3.0	-0.7	0.4
03238	00	V	100	24	4.0	-1.1	1.3
03238	12	V	100	8	3.2	-0.5	0.2
03808	12	V	100	30	3.4	-0.2	0.1
03808	00	V	100	29	3.9	-0.3	0.9
03918	12	V	100	19	4.0	-0.5	0.4
03918	00	V	100	28	3.6	-0.1	0.3
03953	00	V	100	29	3.4	-0.2	0.2
03953	12	V	100	30	4.0	-0.7	0.5
04018	12	V	100	26	4.0	-0.3	0.6
04018	00	V	100	22	3.6	-0.1	-0.1
04220	00	V	100	30	3.5	-0.3	-0.2
04220	12	V	100	30	3.5	-0.4	-1.0
04270	12	V	100	29	5.5	-0.2	-0.3
04270	00	V	100	27	4.8	1.2	-0.5
04320	12	V	100	28	3.3	0.6	-1.0
04320	00	V	100	30	2.8	-0.4	-0.7
04339	00	V	100	28	3.5	1.0	-0.3
04339	12	V	100	29	3.1	-0.2	0.0
04360	00	V	100	9	4.0	0.4	0.0
04360	12	V	100	7	3.5	-1.5	-0.7
06011	00	V	100	25	3.1	-0.4	-1.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	100	28	2.6	-0.4	-0.1
06260	00	V	100	28	3.2	0.4	0.0
06260	12	V	100	4	3.9	2.3	0.8
06610	12	V	100	30	4.7	-0.2	0.9
06610	00	V	100	30	4.0	-0.3	0.4
07110	12	V	100	30	3.2	0.8	1.0
07110	00	V	100	29	3.4	0.5	0.2
07510	12	V	100	26	3.3	1.0	-0.4
07510	00	V	100	28	3.5	0.9	0.0
07645	00	V	100	29	5.0	0.5	-0.1
07645	12	V	100	30	4.8	1.1	0.3
07761	00	V	100	26	4.4	-0.9	0.7
07761	12	V	100	27	4.0	0.4	0.2
08001	12	V	100	29	3.0	0.0	0.8
08001	00	V	100	29	4.6	-0.2	-0.1
08221	00	V	100	27	4.0	-0.4	0.1
08221	12	V	100	30	3.7	0.1	0.7
08302	00	V	100	30	3.9	0.5	0.0
08302	12	V	100	29	4.2	1.1	0.5
08508	12	V	100	30	3.6	0.2	0.7
08522	12	V	100	28	4.0	0.4	0.5
08579	12	V	100	29	4.2	0.0	0.6
10035	12	V	100	29	3.7	0.6	0.6
10035	00	V	100	30	3.5	0.5	0.0
10393	12	V	100	30	3.5	-0.3	0.0
10393	00	V	100	30	3.8	0.3	0.2
10410	12	V	100	30	3.2	0.6	-0.2
10410	00	V	100	29	3.6	0.0	0.8
10739	00	V	100	30	3.1	0.0	-0.1
10739	12	V	100	30	4.3	0.3	0.4
11035	00	V	100	30	4.4	0.8	0.0
11035	12	V	100	30	5.3	0.9	-0.8
12982	12	V	100	25	3.8	1.2	0.0
12982	00	V	100	25	3.6	-0.2	-0.3
16080	12	V	100	29	4.1	1.0	0.2
16080	00	V	100	28	4.0	-0.1	0.0
16245	12	V	100	29	4.5	0.3	-0.6
16245	00	V	100	30	4.8	-0.2	0.2
16320	00	V	100	30	4.4	0.9	-0.2
16320	12	V	100	28	4.7	1.4	0.1
16429	00	V	100	30	3.3	0.2	0.3
16429	12	V	100	30	4.3	0.5	-0.5
16622	00	V	100	16	4.8	-0.6	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	100	28	3.3	0.4	-0.8
17607	12	V	100	30	3.6	0.6	-0.7
26435	00	V	100	15	2.7	-0.5	0.8
60018	00	V	100	30	4.3	0.8	0.8
60018	12	V	100	30	4.5	0.5	0.7
ASDE01	12	V	100	5	3.6	-1.4	1.6
ASDE01	00	V	100	5	3.1	0.4	-1.8
ASDE03	00	V	100	6	3.8	-0.5	-0.3
ASDE03	12	V	100	8	4.6	-0.3	0.8
ASDE04	00	V	100	1	8.2	-7.9	-2.1
ASDK01	00	V	100	7	4.8	-2.1	-0.7
ASDK01	12	V	100	8	3.7	0.2	-1.3
ASDK02	12	V	100	11	2.7	0.9	0.1
ASDK02	00	V	100	17	9.5	1.4	1.1
ASDK03	12	V	100	6	3.6	1.3	0.4
ASDK03	00	V	100	6	3.2	0.8	-1.6
ASDK1	00	V	100	7	4.5	-1.0	-0.7
ASDK1	12	V	100	8	3.2	0.7	-0.9
ASDK2	00	V	100	17	9.4	2.0	1.3
ASDK2	12	V	100	10	2.8	0.5	-0.6
ASDK3	12	V	100	6	3.5	1.1	0.5
ASDK3	00	V	100	5	3.8	1.4	-1.9
ASEU02	00	V	100	8	2.9	-0.5	-0.5
ASEU02	12	V	100	5	2.7	-0.9	0.2
ASEU03	12	V	100	7	3.3	0.3	0.6
ASEU03	00	V	100	5	3.5	1.9	0.2
ASEU04	00	V	100	3	2.1	-0.7	-1.5
ASEU04	12	V	100	4	4.1	0.3	-1.0
ASEU05	00	V	100	1	3.1	-1.9	2.4
ASEU05	12	V	100	1	7.3	-6.7	2.9
ASEU06	00	V	100	0	0.0	0.0	0.0
ASEU06	12	V	100	0	0.0	0.0	0.0
ASFR1	00	V	100	11	3.9	1.1	1.1
ASFR1	12	V	100	11	4.4	0.8	2.0
ASFR3	00	V	100	8	3.6	-0.5	-1.6
ASFR3	12	V	100	8	3.8	-0.2	-0.7
ASFR4	12	V	100	7	2.5	-0.6	0.5
ASFR4	00	V	100	6	3.1	0.3	-1.0
DBLK	12	V	100	14	5.0	-0.4	1.3
EWM	00	V	100	1	23.7	-8.1	22.3

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	30	7.7	3.8
01001	00	Z	500	30	7.8	2.9
01028	00	Z	500	30	5.2	2.6
01028	12	Z	500	30	4.6	2.3
01400	12	Z	500	26	17.9	11.8
01400	00	Z	500	25	17.4	10.1
01415	12	Z	500	29	7.1	2.9
01415	00	Z	500	29	7.4	3.8
02365	12	Z	500	30	4.6	-0.5
02365	00	Z	500	30	4.4	1.0
02591	12	Z	500	28	9.7	8.5
02591	00	Z	500	27	8.8	7.9
02836	12	Z	500	30	3.8	-0.1
02836	00	Z	500	30	4.8	1.8
02963	00	Z	500	30	4.1	2.6
02963	12	Z	500	32	4.4	2.0
03005	00	Z	500	30	3.6	1.3
03005	12	Z	500	32	3.4	-0.3
03238	00	Z	500	26	8.3	7.0
03238	12	Z	500	8	8.0	7.6
03808	12	Z	500	31	4.4	3.7
03808	00	Z	500	30	4.2	2.9
03918	12	Z	500	19	8.4	7.4
03918	00	Z	500	30	8.3	4.0
03953	00	Z	500	30	5.9	3.1
03953	12	Z	500	30	7.8	5.2
04018	12	Z	500	29	6.3	3.8
04018	00	Z	500	27	5.4	1.0
04220	00	Z	500	30	6.3	4.1
04220	12	Z	500	30	5.5	2.6
04270	12	Z	500	30	6.4	0.1
04270	00	Z	500	29	4.2	1.1
04320	12	Z	500	29	7.5	5.1
04320	00	Z	500	30	7.5	5.7
04339	00	Z	500	29	17.5	5.1
04339	12	Z	500	30	23.1	5.1
04360	00	Z	500	16	39.8	39.6
04360	12	Z	500	11	42.7	42.5
06011	00	Z	500	29	7.4	1.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	500	29	6.3	3.2
06260	00	Z	500	30	8.4	2.7
06260	12	Z	500	4	4.8	3.4
06610	12	Z	500	30	4.5	2.3
06610	00	Z	500	30	5.8	5.2
07110	12	Z	500	30	10.7	8.9
07110	00	Z	500	30	8.7	6.0
07510	12	Z	500	28	10.8	9.9
07510	00	Z	500	28	9.7	8.2
07645	00	Z	500	30	6.3	3.9
07645	12	Z	500	30	9.3	6.5
07761	00	Z	500	29	7.3	-1.7
07761	12	Z	500	29	5.5	2.3
08001	12	Z	500	30	13.6	9.7
08001	00	Z	500	30	8.0	7.3
08221	00	Z	500	30	6.7	5.9
08221	12	Z	500	30	8.7	6.7
08302	00	Z	500	30	4.0	-2.2
08302	12	Z	500	30	7.9	-0.9
08508	12	Z	500	30	15.4	13.4
08522	12	Z	500	29	10.7	9.2
08579	12	Z	500	30	10.2	8.2
10035	12	Z	500	31	7.1	0.1
10035	00	Z	500	31	4.2	0.6
10393	12	Z	500	31	4.0	-1.4
10393	00	Z	500	30	3.3	-1.3
10410	12	Z	500	31	6.3	-0.9
10410	00	Z	500	30	3.6	-0.9
10739	00	Z	500	30	8.6	7.8
10739	12	Z	500	30	9.4	7.4
11035	00	Z	500	30	7.3	2.6
11035	12	Z	500	31	5.5	1.3
12982	12	Z	500	27	7.9	5.6
12982	00	Z	500	28	6.7	3.6
16080	12	Z	500	30	4.1	-1.5
16080	00	Z	500	29	23.5	-7.9
16245	12	Z	500	29	8.0	-6.3
16245	00	Z	500	30	6.7	-4.5
16320	00	Z	500	30	16.0	-0.7
16320	12	Z	500	29	7.1	0.4
16429	00	Z	500	38	7.3	-1.6
16429	12	Z	500	33	5.6	-2.4
16622	00	Z	500	29	15.8	12.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	500	29	14.9	8.6
17607	12	Z	500	30	6.1	4.7
26435	00	Z	500	15	4.5	-1.6
60018	00	Z	500	30	3.1	0.7
60018	12	Z	500	30	4.9	2.1
ASDE01	12	Z	500	5	27.7	-27.5
ASDE01	00	Z	500	5	31.9	-31.8
ASDE03	00	Z	500	8	2.1	-1.0
ASDE03	12	Z	500	11	14.1	10.5
ASDE04	00	Z	500	2	27.8	27.8
ASDK01	00	Z	500	10	18.5	16.7
ASDK01	12	Z	500	11	14.4	12.3
ASDK02	12	Z	500	17	14.9	10.5
ASDK02	00	Z	500	23	16.5	12.4
ASDK03	12	Z	500	18	25.8	25.4
ASDK03	00	Z	500	8	23.7	23.4
ASDK1	00	Z	500	7	12.7	10.8
ASDK1	12	Z	500	9	14.4	4.7
ASDK2	00	Z	500	18	17.1	5.2
ASDK2	12	Z	500	12	12.2	-0.3
ASDK3	12	Z	500	9	22.7	21.3
ASDK3	00	Z	500	7	20.2	19.4
ASEU02	00	Z	500	9	24.2	24.0
ASEU02	12	Z	500	6	32.3	32.3
ASEU03	12	Z	500	12	45.0	29.5
ASEU03	00	Z	500	12	31.0	24.1
ASEU04	00	Z	500	3	14.1	-13.6
ASEU04	12	Z	500	8	12.0	-11.3
ASEU05	00	Z	500	2	5.1	5.1
ASEU05	12	Z	500	1	0.0	0.0
ASEU06	00	Z	500	1	18.1	18.1
ASEU06	12	Z	500	3	7.5	2.8
ASFR1	00	Z	500	14	6.8	-3.1
ASFR1	12	Z	500	13	5.8	3.1
ASFR3	00	Z	500	9	4.2	0.1
ASFR3	12	Z	500	9	3.6	-0.3
ASFR4	12	Z	500	8	5.1	3.2
ASFR4	00	Z	500	8	5.7	1.4
DBLK	12	Z	500	24	8.2	7.3
EWM	00	Z	500	1	0.0	0.0

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 500 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	30	2.5	0.1	-0.6
01001	00	V	500	30	3.4	-0.5	-0.3
01028	00	V	500	30	2.7	-0.4	0.1
01028	12	V	500	30	2.8	0.2	0.0
01400	12	V	500	26	2.8	0.3	-0.4
01400	00	V	500	25	3.0	0.2	0.2
01415	12	V	500	29	3.0	0.6	-0.7
01415	00	V	500	28	2.7	0.0	-0.1
02365	12	V	500	30	3.8	1.0	-0.6
02365	00	V	500	28	2.8	0.4	-0.6
02591	12	V	500	28	3.4	-0.1	0.4
02591	00	V	500	27	2.7	-0.2	0.1
02836	12	V	500	30	2.1	0.0	0.0
02836	00	V	500	30	3.0	0.5	0.3
02963	00	V	500	30	2.5	0.7	-0.5
02963	12	V	500	30	2.8	0.8	-0.4
03005	00	V	500	28	2.7	0.1	0.4
03005	12	V	500	30	3.4	0.3	0.2
03238	00	V	500	26	2.6	-0.1	0.1
03238	12	V	500	8	2.4	-0.4	0.0
03808	12	V	500	30	3.3	-0.3	-0.3
03808	00	V	500	30	3.7	0.2	-0.5
03918	12	V	500	19	3.2	0.7	0.2
03918	00	V	500	30	2.5	0.2	-0.8
03953	00	V	500	30	3.0	0.9	0.2
03953	12	V	500	30	2.3	-0.3	-0.4
04018	12	V	500	29	3.0	-0.6	0.0
04018	00	V	500	23	3.6	-0.3	0.4
04220	00	V	500	30	3.3	-0.1	0.5
04220	12	V	500	30	2.5	-0.1	0.2
04270	12	V	500	30	3.5	1.3	-0.1
04270	00	V	500	29	3.2	0.3	-0.1
04320	12	V	500	29	3.4	0.3	0.4
04320	00	V	500	30	4.0	0.2	0.5
04339	00	V	500	29	3.3	0.6	0.2
04339	12	V	500	30	3.1	0.2	0.5
04360	00	V	500	16	3.1	0.0	0.2
04360	12	V	500	11	3.5	-0.5	1.1
06011	00	V	500	29	3.7	-0.7	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	500	29	2.8	0.2	-0.5
06260	00	V	500	30	3.4	0.9	-0.6
06260	12	V	500	4	3.1	1.1	2.0
06610	12	V	500	30	3.6	0.8	-0.9
06610	00	V	500	30	3.5	-0.2	0.3
07110	12	V	500	30	2.4	-0.2	0.2
07110	00	V	500	30	3.2	0.8	0.1
07510	12	V	500	28	3.5	0.7	0.6
07510	00	V	500	28	3.8	0.3	0.5
07645	00	V	500	30	5.9	0.9	0.2
07645	12	V	500	30	3.6	0.1	0.5
07761	00	V	500	29	3.3	0.3	0.7
07761	12	V	500	29	2.8	0.4	0.2
08001	12	V	500	30	3.1	0.2	0.1
08001	00	V	500	29	2.3	-0.4	0.2
08221	00	V	500	30	3.2	0.8	-0.7
08221	12	V	500	30	3.1	1.0	-0.7
08302	00	V	500	30	2.4	-0.1	0.0
08302	12	V	500	30	3.6	-0.2	-0.1
08508	12	V	500	30	2.6	0.5	0.2
08522	12	V	500	29	3.1	0.2	-0.4
08579	12	V	500	30	3.1	0.5	0.4
10035	12	V	500	29	2.9	-0.5	0.0
10035	00	V	500	30	2.8	0.2	-0.3
10393	12	V	500	30	3.2	0.4	-0.3
10393	00	V	500	30	2.8	0.2	-0.4
10410	12	V	500	30	3.3	0.3	-1.0
10410	00	V	500	29	2.5	0.5	-0.1
10739	00	V	500	30	2.8	0.7	0.0
10739	12	V	500	30	2.3	0.4	0.3
11035	00	V	500	30	4.2	-0.1	-0.9
11035	12	V	500	30	3.3	-0.2	-0.4
12982	12	V	500	27	2.8	0.1	-0.1
12982	00	V	500	28	3.5	0.7	-0.2
16080	12	V	500	29	2.7	0.0	-0.2
16080	00	V	500	29	3.1	0.4	-0.5
16245	12	V	500	29	3.0	0.4	0.4
16245	00	V	500	30	2.6	0.4	0.3
16320	00	V	500	30	2.8	0.2	0.4
16320	12	V	500	29	3.3	0.4	0.4
16429	00	V	500	30	2.9	0.3	0.2
16429	12	V	500	30	2.8	0.9	0.1
16622	00	V	500	26	3.3	0.4	-0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	500	29	3.3	-0.2	0.6
17607	12	V	500	30	2.6	-0.1	-0.8
26435	00	V	500	15	3.4	-0.6	0.1
60018	00	V	500	30	2.6	-0.1	0.4
60018	12	V	500	30	2.4	-0.1	0.8
ASDE01	12	V	500	5	5.2	-1.2	-2.1
ASDE01	00	V	500	5	2.9	-0.7	-0.6
ASDE03	00	V	500	5	2.4	-0.6	-0.1
ASDE03	12	V	500	10	3.9	-0.9	0.2
ASDE04	00	V	500	1	1.6	1.6	0.2
ASDK01	00	V	500	7	3.1	0.4	0.7
ASDK01	12	V	500	9	2.7	0.6	-0.4
ASDK02	12	V	500	12	3.3	0.3	-0.4
ASDK02	00	V	500	18	3.7	0.4	1.0
ASDK03	12	V	500	10	4.0	2.1	0.8
ASDK03	00	V	500	7	1.6	-0.4	-0.7
ASDK1	00	V	500	7	3.1	0.8	-0.4
ASDK1	12	V	500	9	3.8	0.2	0.3
ASDK2	00	V	500	18	4.6	0.9	-0.3
ASDK2	12	V	500	12	4.2	-0.1	-0.5
ASDK3	12	V	500	9	4.4	2.6	-0.3
ASDK3	00	V	500	7	2.8	-0.3	-0.9
ASEU02	00	V	500	8	1.9	0.3	-0.7
ASEU02	12	V	500	5	2.0	0.0	-0.1
ASEU03	12	V	500	11	3.6	-0.2	1.4
ASEU03	00	V	500	10	2.4	0.2	-0.3
ASEU04	00	V	500	3	4.1	0.8	-2.1
ASEU04	12	V	500	6	4.9	0.0	1.5
ASEU05	00	V	500	1	1.0	-0.7	0.7
ASEU05	12	V	500	1	7.7	7.6	-1.0
ASEU06	00	V	500	1	12.5	10.4	-7.0
ASEU06	12	V	500	2	4.0	0.2	3.7
ASFR1	00	V	500	12	2.9	-0.5	-0.3
ASFR1	12	V	500	11	3.1	-0.2	-0.8
ASFR3	00	V	500	8	3.3	1.0	-0.3
ASFR3	12	V	500	8	2.6	0.3	-0.8
ASFR4	12	V	500	7	2.5	-1.0	0.9
ASFR4	00	V	500	7	3.0	-1.1	0.0
DBLK	12	V	500	14	4.6	0.5	1.0
EWM	00	V	500	1	21.6	8.9	19.7

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	30	4.9	1.4
01001	00	Z	850	30	9.5	1.3
01028	00	Z	850	30	3.8	0.9
01028	12	Z	850	30	2.7	-0.3
01400	12	Z	850	26	15.4	9.1
01400	00	Z	850	25	15.6	7.8
01415	12	Z	850	29	4.4	1.5
01415	00	Z	850	29	5.2	2.4
02365	12	Z	850	30	3.2	1.3
02365	00	Z	850	30	3.6	2.9
02591	12	Z	850	28	7.9	7.7
02591	00	Z	850	27	8.8	8.4
02836	12	Z	850	30	2.1	1.2
02836	00	Z	850	30	3.3	2.2
02963	00	Z	850	30	3.4	2.7
02963	12	Z	850	32	3.3	2.1
03005	00	Z	850	30	3.2	-0.5
03005	12	Z	850	33	1.9	-0.5
03238	00	Z	850	26	6.1	5.0
03238	12	Z	850	8	6.6	6.2
03808	12	Z	850	31	3.1	1.9
03808	00	Z	850	30	3.3	2.0
03918	12	Z	850	19	6.9	6.3
03918	00	Z	850	30	6.0	4.5
03953	00	Z	850	30	3.9	1.5
03953	12	Z	850	30	4.3	3.1
04018	12	Z	850	29	3.0	0.1
04018	00	Z	850	27	3.5	0.9
04220	00	Z	850	30	4.7	2.8
04220	12	Z	850	30	3.6	2.3
04270	12	Z	850	30	3.6	0.1
04270	00	Z	850	30	5.7	-0.9
04320	12	Z	850	29	2.8	0.6
04320	00	Z	850	30	5.3	1.2
04339	00	Z	850	29	17.5	4.6
04339	12	Z	850	30	24.3	4.4
04360	00	Z	850	19	39.3	38.9
04360	12	Z	850	12	39.3	39.0
06011	00	Z	850	29	4.1	2.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	850	29	4.4	2.7
06260	00	Z	850	30	3.9	1.7
06260	12	Z	850	4	1.7	0.7
06610	12	Z	850	30	3.5	2.5
06610	00	Z	850	30	4.2	3.3
07110	12	Z	850	31	3.7	2.6
07110	00	Z	850	30	4.2	2.5
07510	12	Z	850	28	4.4	3.2
07510	00	Z	850	28	4.5	3.8
07645	00	Z	850	30	3.6	2.1
07645	12	Z	850	30	4.0	2.1
07761	00	Z	850	29	3.3	-1.8
07761	12	Z	850	29	3.2	-1.5
08001	12	Z	850	30	6.5	5.1
08001	00	Z	850	30	6.4	5.7
08221	00	Z	850	30	3.8	3.5
08221	12	Z	850	30	2.7	1.9
08302	00	Z	850	30	2.6	-2.2
08302	12	Z	850	30	5.2	-3.6
08508	12	Z	850	30	9.9	7.0
08522	12	Z	850	29	5.3	4.7
08579	12	Z	850	30	4.2	3.5
10035	12	Z	850	31	4.2	0.2
10035	00	Z	850	31	3.0	0.5
10393	12	Z	850	31	2.7	-1.4
10393	00	Z	850	30	2.0	0.3
10410	12	Z	850	31	4.0	-2.8
10410	00	Z	850	30	2.4	-1.6
10739	00	Z	850	30	7.1	6.6
10739	12	Z	850	30	6.6	6.0
11035	00	Z	850	30	3.9	1.5
11035	12	Z	850	31	4.4	1.2
12982	12	Z	850	27	3.8	2.3
12982	00	Z	850	28	3.2	1.9
16080	12	Z	850	31	5.9	-4.8
16080	00	Z	850	29	6.6	-5.4
16245	12	Z	850	30	8.6	-7.6
16245	00	Z	850	30	6.9	-5.3
16320	00	Z	850	30	9.7	0.1
16320	12	Z	850	29	5.8	-0.7
16429	00	Z	850	38	6.5	-2.4
16429	12	Z	850	33	6.8	-3.8
16622	00	Z	850	29	11.7	9.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	850	29	11.1	4.7
17607	12	Z	850	30	2.8	2.0
26435	00	Z	850	15	3.1	-0.2
60018	00	Z	850	30	2.9	-1.7
60018	12	Z	850	30	3.6	-3.0
ASDE01	12	Z	850	5	35.4	-35.3
ASDE01	00	Z	850	5	34.5	-34.3
ASDE03	00	Z	850	8	5.0	-4.1
ASDE03	12	Z	850	11	3.8	-0.2
ASDE04	00	Z	850	2	24.0	24.0
ASDK01	00	Z	850	10	21.1	20.3
ASDK01	12	Z	850	11	15.5	14.0
ASDK02	12	Z	850	17	11.9	8.1
ASDK02	00	Z	850	25	14.6	10.0
ASDK03	12	Z	850	22	24.6	24.1
ASDK03	00	Z	850	10	24.8	24.3
ASDK1	00	Z	850	7	21.2	20.0
ASDK1	12	Z	850	9	15.9	12.4
ASDK2	00	Z	850	19	16.4	8.9
ASDK2	12	Z	850	12	13.9	3.9
ASDK3	12	Z	850	9	25.8	23.8
ASDK3	00	Z	850	9	25.0	24.4
ASEU02	00	Z	850	9	23.5	23.3
ASEU02	12	Z	850	6	25.0	24.7
ASEU03	12	Z	850	12	27.7	25.3
ASEU03	00	Z	850	12	29.6	24.5
ASEU04	00	Z	850	4	16.4	-15.8
ASEU04	12	Z	850	8	13.4	-13.2
ASEU05	00	Z	850	2	0.9	-0.9
ASEU05	12	Z	850	1	59.1	59.1
ASEU06	00	Z	850	6	8.2	2.5
ASEU06	12	Z	850	7	7.0	-2.4
ASFR1	00	Z	850	14	9.3	-7.9
ASFR1	12	Z	850	15	5.3	-3.8
ASFR3	00	Z	850	9	4.7	-2.8
ASFR3	12	Z	850	9	4.8	-4.0
ASFR4	12	Z	850	8	4.9	-3.7
ASFR4	00	Z	850	8	5.8	-4.4
DBLK	12	Z	850	24	4.3	2.6
EWM	00	Z	850	0	0.0	0.0

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)
MONITORING CENTRE : ECMWF
ELEMENT MONITORED : WIND (M/S)
LEVEL : 850 HPA
AREA : 0 - 90N, 100W - 40E
PERIOD : NOV 2016
STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	30	4.2	-0.7	0.2
01001	00	V	850	30	3.8	0.2	0.8
01028	00	V	850	30	2.5	0.3	-0.4
01028	12	V	850	30	3.3	0.6	0.1
01400	12	V	850	26	2.9	-0.2	-0.1
01400	00	V	850	25	2.4	0.5	-0.4
01415	12	V	850	29	3.3	0.3	-0.2
01415	00	V	850	28	3.1	0.1	0.2
02365	12	V	850	30	3.2	-0.1	-0.6
02365	00	V	850	28	2.6	-0.1	0.2
02591	12	V	850	28	2.5	-0.1	0.2
02591	00	V	850	27	2.8	0.2	-0.3
02836	12	V	850	30	2.4	0.2	0.0
02836	00	V	850	30	3.0	-0.1	-0.2
02963	00	V	850	30	2.6	0.0	-0.2
02963	12	V	850	30	2.5	0.2	0.2
03005	00	V	850	28	2.8	0.1	0.1
03005	12	V	850	30	2.2	0.1	0.4
03238	00	V	850	26	2.6	-0.2	0.3
03238	12	V	850	8	2.7	0.4	0.7
03808	12	V	850	30	2.8	0.6	0.3
03808	00	V	850	30	2.9	0.6	-0.1
03918	12	V	850	19	2.3	-0.2	0.1
03918	00	V	850	30	2.3	0.4	0.3
03953	00	V	850	30	2.7	0.0	0.6
03953	12	V	850	30	3.0	0.8	0.8
04018	12	V	850	29	2.8	0.7	-0.2
04018	00	V	850	23	3.0	-0.5	0.3
04220	00	V	850	30	3.0	-0.1	-0.3
04220	12	V	850	30	3.1	-0.2	0.4
04270	12	V	850	30	5.0	0.6	0.2
04270	00	V	850	30	4.6	0.4	0.1
04320	12	V	850	29	3.4	0.6	0.2
04320	00	V	850	30	4.1	0.1	0.3
04339	00	V	850	29	5.8	0.3	1.2
04339	12	V	850	30	6.4	0.6	1.3
04360	00	V	850	19	5.5	0.6	-0.1
04360	12	V	850	12	4.8	0.5	0.1
06011	00	V	850	29	3.2	0.4	-0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	850	29	2.4	0.5	-0.2
06260	00	V	850	30	2.4	-0.3	-0.4
06260	12	V	850	4	2.5	0.2	-0.7
06610	12	V	850	30	4.3	0.5	0.3
06610	00	V	850	30	2.7	0.9	-0.1
07110	12	V	850	30	2.7	-0.2	0.1
07110	00	V	850	30	3.7	0.6	-0.4
07510	12	V	850	28	4.1	0.2	-0.7
07510	00	V	850	28	3.7	0.0	-0.5
07645	00	V	850	30	3.8	0.1	0.5
07645	12	V	850	30	3.8	-0.5	-0.1
07761	00	V	850	29	4.0	0.2	0.1
07761	12	V	850	29	4.4	0.3	-0.4
08001	12	V	850	30	2.5	0.5	0.1
08001	00	V	850	29	3.3	-0.2	1.1
08221	00	V	850	30	2.8	0.2	-0.2
08221	12	V	850	30	3.0	0.2	-0.2
08302	00	V	850	30	3.2	0.5	0.0
08302	12	V	850	30	3.7	0.8	0.8
08508	12	V	850	30	2.6	-0.2	-0.2
08522	12	V	850	29	3.6	0.0	0.7
08579	12	V	850	30	2.8	0.7	-0.6
10035	12	V	850	30	2.1	0.2	-0.5
10035	00	V	850	30	2.3	0.3	0.0
10393	12	V	850	30	2.3	0.4	-0.6
10393	00	V	850	30	2.3	0.2	0.3
10410	12	V	850	30	2.7	0.4	-0.2
10410	00	V	850	29	2.3	-0.1	0.0
10739	00	V	850	30	2.1	0.0	0.2
10739	12	V	850	30	2.7	0.1	-0.1
11035	00	V	850	30	4.8	0.4	-0.8
11035	12	V	850	30	3.5	-0.2	-0.6
12982	12	V	850	27	3.9	0.8	-0.8
12982	00	V	850	28	2.8	0.1	-0.1
16080	12	V	850	29	4.3	0.7	0.7
16080	00	V	850	29	3.8	0.5	0.0
16245	12	V	850	30	2.3	0.2	0.4
16245	00	V	850	30	3.3	-0.2	0.4
16320	00	V	850	30	3.6	0.7	-0.1
16320	12	V	850	29	3.0	0.2	-0.9
16429	00	V	850	30	3.3	-0.5	0.8
16429	12	V	850	30	3.4	-0.2	0.2
16622	00	V	850	27	3.0	0.4	0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	850	28	3.6	0.6	-0.8
17607	12	V	850	30	3.3	0.7	-0.2
26435	00	V	850	15	2.6	0.1	-0.6
60018	00	V	850	30	3.7	-0.5	0.8
60018	12	V	850	30	3.2	-0.1	0.7
ASDE01	12	V	850	5	2.6	0.1	-0.9
ASDE01	00	V	850	5	2.8	-0.1	0.2
ASDE03	00	V	850	6	3.7	1.2	-0.4
ASDE03	12	V	850	10	2.9	-0.2	0.0
ASDE04	00	V	850	1	1.9	1.9	-0.3
ASDK01	00	V	850	7	2.9	-0.5	-1.3
ASDK01	12	V	850	9	2.5	0.9	-0.7
ASDK02	12	V	850	12	3.2	0.1	0.0
ASDK02	00	V	850	19	4.5	-1.1	0.2
ASDK03	12	V	850	12	4.1	-1.1	-0.3
ASDK03	00	V	850	9	4.2	0.1	0.4
ASDK1	00	V	850	7	3.4	-0.2	-1.8
ASDK1	12	V	850	9	2.7	0.8	-0.6
ASDK2	00	V	850	19	4.6	-0.1	0.1
ASDK2	12	V	850	12	3.9	1.0	-0.9
ASDK3	12	V	850	9	4.6	-0.9	-0.8
ASDK3	00	V	850	9	4.1	0.2	0.2
ASEU02	00	V	850	8	2.6	-0.2	0.5
ASEU02	12	V	850	5	2.3	1.0	1.4
ASEU03	12	V	850	11	4.7	1.5	0.9
ASEU03	00	V	850	10	3.0	0.9	-1.0
ASEU04	00	V	850	4	1.5	0.3	0.1
ASEU04	12	V	850	6	2.7	0.6	0.2
ASEU05	00	V	850	1	0.2	0.2	0.1
ASEU05	12	V	850	1	3.9	-3.7	1.1
ASEU06	00	V	850	5	4.0	-0.2	-0.8
ASEU06	12	V	850	6	2.8	1.1	0.1
ASFR1	00	V	850	12	2.8	-0.4	0.3
ASFR1	12	V	850	13	2.6	-0.1	0.8
ASFR3	00	V	850	8	2.5	0.2	1.8
ASFR3	12	V	850	8	3.4	1.0	0.0
ASFR4	12	V	850	7	3.0	0.5	-0.9
ASFR4	00	V	850	7	3.4	0.4	-0.3
DBLK	12	V	850	14	3.6	-0.7	-0.8
EWM	00	V	850	0	0.0	0.0	0.0

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
03380	99	P	SUR	54	0	720	0	0.3	-0.2	0.4
086	99	P	SUR	55	6	1	0	0.0	0.4	0.4
1300001	99	P	SUR	11	-23	663	0	0.4	-0.1	0.4
1300515	99	P	SUR	29	-54	678	0	0.3	0.1	0.3
1300572	99	P	SUR	21	-45	714	0	0.3	-0.0	0.3
1300633	99	P	SUR	28	-54	715	0	0.3	-0.8	0.8
1300665	99	P	SUR	17	-52	719	0	0.4	0.2	0.4
1300868	99	P	SUR	25	-21	719	0	0.3	0.3	0.5
1300869	99	P	SUR	20	-45	719	0	0.3	-0.0	0.3
1300871	99	P	SUR	22	-45	646	0	0.4	0.2	0.4
1300872	99	P	SUR	29	-54	707	0	0.4	0.2	0.4
1301500	99	P	SUR	17	-54	711	0	0.4	-0.2	0.4
1301501	99	P	SUR	20	-37	712	0	0.3	0.2	0.4
1301502	99	P	SUR	24	-39	714	0	0.3	0.3	0.5
13515	99	P	SUR	29	-54	669	0	0.3	0.1	0.3
13572	99	P	SUR	21	-45	694	0	0.3	0.0	0.3
13633	99	P	SUR	28	-54	702	0	0.4	-0.8	0.8
13665	99	P	SUR	17	-52	717	0	0.4	0.2	0.4
13868	99	P	SUR	25	-21	717	0	0.3	0.3	0.5
13869	99	P	SUR	20	-45	717	0	0.3	-0.0	0.3
13871	99	P	SUR	22	-45	646	0	0.4	0.2	0.4
13872	99	P	SUR	29	-54	716	0	0.4	0.2	0.4
2100942	99	P	SUR	28	-46	700	0	0.4	0.3	0.5
21942	99	P	SUR	28	-46	693	0	0.4	0.3	0.5
2500575	99	P	SUR	55	-51	688	0	0.6	-0.1	0.6
2500622	99	P	SUR	87	31	719	0	0.5	-0.7	0.8
2500623	99	P	SUR	89	-37	719	0	0.6	-0.2	0.6
25575	99	P	SUR	55	-51	709	0	0.6	-0.1	0.6
25622	99	P	SUR	87	31	718	0	0.5	-0.6	0.8
25623	99	P	SUR	89	-34	717	0	0.6	-0.2	0.6
2600537	99	P	SUR	73	30	574	0	0.6	0.0	0.6
2600545	99	P	SUR	70	-18	607	283	6.5	-5.8	8.7
2601561	99	P	SUR	87	37	715	0	0.5	0.5	0.7
26537	99	P	SUR	73	30	699	0	0.6	0.0	0.6
26545	99	P	SUR	70	-18	691	317	6.6	-5.1	8.3
4100139	99	P	SUR	20	-38	316	0	0.3	-0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4100300	99	P	SUR	16	-57	717	0	0.5	0.3	0.6
4100506	99	P	SUR	31	-51	690	0	0.4	-0.0	0.4
4100590	99	P	SUR	36	-42	717	0	0.5	-0.4	0.6
4100594	99	P	SUR	41	-29	717	0	0.3	0.2	0.3
4100597	99	P	SUR	37	-53	706	0	0.5	-0.3	0.6
4100635	99	P	SUR	25	-63	703	0	0.4	0.3	0.5
4100706	99	P	SUR	31	-35	718	0	0.4	0.2	0.5
4100707	99	P	SUR	14	-61	713	0	0.6	-0.8	1.0
4100708	99	P	SUR	22	-68	712	0	0.4	0.0	0.4
4100729	99	P	SUR	41	-40	715	0	0.5	0.1	0.5
4100731	99	P	SUR	29	-63	716	0	0.4	0.1	0.4
4100936	99	P	SUR	37	-42	483	0	0.4	-1.1	1.2
4100972	99	P	SUR	40	-30	691	0	0.3	0.0	0.3
4100975	99	P	SUR	26	-49	716	0	0.5	-0.2	0.5
4101700	99	P	SUR	37	-55	714	0	0.5	-0.0	0.5
4101701	99	P	SUR	30	-67	706	0	0.4	0.5	0.7
4101702	99	P	SUR	19	-42	714	0	0.3	0.2	0.4
4101703	99	P	SUR	16	-46	717	0	0.3	0.4	0.5
4101704	99	P	SUR	12	-48	718	0	0.4	0.4	0.5
4101741	99	P	SUR	22	-41	715	0	0.3	0.5	0.6
41040	99	P	SUR	15	-53	713	0	0.4	-0.6	0.8
41041	99	P	SUR	14	-46	700	0	0.4	-0.5	0.6
41043	99	P	SUR	21	-65	1326	0	0.5	0.3	0.6
41044	99	P	SUR	22	-59	1346	0	0.4	-0.2	0.5
41046	99	P	SUR	24	-69	1385	0	0.5	-0.3	0.6
41048	99	P	SUR	32	-70	789	0	0.4	-0.5	0.7
41049	99	P	SUR	28	-63	715	0	0.4	-0.0	0.4
41052	99	P	SUR	18	-65	1903	0	0.6	-1.4	1.5
41053	99	P	SUR	19	-66	1885	0	0.5	-0.5	0.8
41056	99	P	SUR	18	-66	1683	0	0.5	-1.0	1.1
41139	99	P	SUR	20	-38	326	0	0.3	-0.2	0.4
41300	99	P	SUR	16	-57	682	0	0.4	0.4	0.6
41506	99	P	SUR	31	-51	685	0	0.4	-0.1	0.4
41590	99	P	SUR	36	-42	707	0	0.5	-0.4	0.6
41594	99	P	SUR	41	-29	702	0	0.3	0.2	0.3
41597	99	P	SUR	37	-53	716	0	0.5	-0.3	0.6
41635	99	P	SUR	25	-63	699	0	0.4	0.3	0.5
41706	99	P	SUR	31	-35	718	0	0.4	0.2	0.5
41707	99	P	SUR	14	-61	716	0	0.5	-0.8	1.0
41708	99	P	SUR	22	-68	717	0	0.4	0.0	0.4
41729	99	P	SUR	41	-40	717	0	0.5	0.1	0.5
41731	99	P	SUR	29	-63	717	0	0.4	0.1	0.4
41936	99	P	SUR	37	-42	474	0	0.4	-1.1	1.2

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
41972	99	P	SUR	40	-30	716	0	0.3	0.0	0.3
41975	99	P	SUR	26	-49	709	0	0.5	-0.2	0.5
42059	99	P	SUR	15	-68	1320	0	0.6	0.3	0.6
42085	99	P	SUR	18	-67	1643	0	0.5	-0.9	1.0
42088	99	P	SUR	11	-61	1622	0	0.6	0.1	0.6
42090	99	P	SUR	18	-70	2070	0	0.5	-0.1	0.5
44005	99	P	SUR	43	-69	739	0	0.6	-0.2	0.6
4400510	99	P	SUR	44	-51	1495	1	0.5	0.5	0.7
4400513	99	P	SUR	54	-10	666	0	0.4	-0.4	0.6
4400515	99	P	SUR	62	-7	682	0	0.6	0.2	0.6
4400517	99	P	SUR	28	-20	719	0	0.3	0.3	0.5
4400521	99	P	SUR	38	-27	710	0	0.3	-0.4	0.5
4400551	99	P	SUR	71	25	381	2	0.4	0.2	0.5
4400614	99	P	SUR	50	-7	374	0	0.4	0.1	0.4
4400624	99	P	SUR	29	-58	698	0	0.4	-0.4	0.5
4400670	99	P	SUR	45	-55	616	0	0.5	-0.0	0.5
4400746	99	P	SUR	37	-25	718	0	0.3	0.5	0.6
4400761	99	P	SUR	61	3	715	0	0.4	-0.5	0.6
4400765	99	P	SUR	51	-29	619	0	0.5	0.4	0.6
4400766	99	P	SUR	39	-26	713	0	0.4	0.1	0.4
4400768	99	P	SUR	31	-24	717	0	0.2	0.7	0.8
4400772	99	P	SUR	48	-24	717	0	0.4	-0.1	0.4
4400773	99	P	SUR	46	-7	718	0	0.8	0.5	1.0
4400775	99	P	SUR	37	-50	717	0	0.5	0.2	0.5
4400776	99	P	SUR	32	-27	718	0	0.3	0.7	0.8
4400777	99	P	SUR	45	-52	710	0	0.5	0.0	0.5
4400778	99	P	SUR	39	-22	716	0	0.3	0.5	0.6
4400779	99	P	SUR	51	-44	355	0	3.5	-1.1	3.6
4400835	99	P	SUR	31	-43	696	0	0.4	-0.5	0.6
4400837	99	P	SUR	23	-69	699	0	0.4	-0.2	0.4
4400839	99	P	SUR	26	-35	702	0	0.4	-0.1	0.4
4400846	99	P	SUR	30	-27	714	0	0.3	0.5	0.6
4400848	99	P	SUR	27	-27	717	0	0.3	0.2	0.4
4400856	99	P	SUR	38	-37	717	0	0.3	0.7	0.7
4400857	99	P	SUR	43	-26	713	0	0.4	0.5	0.6
4400863	99	P	SUR	28	-64	693	0	0.4	-0.7	0.8
4400866	99	P	SUR	70	20	719	2	1.3	-0.6	1.4
4400874	99	P	SUR	33	-30	710	0	0.2	0.4	0.5
4400875	99	P	SUR	34	-40	155	18	5.4	1.4	5.6
4400885	99	P	SUR	17	-56	702	0	0.5	-0.3	0.5
4400887	99	P	SUR	30	-48	696	0	0.5	0.0	0.5
4400889	99	P	SUR	35	-44	703	0	0.5	-0.1	0.5
4400891	99	P	SUR	32	-59	696	0	0.4	-0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4400896	99	P	SUR	31	-29	717	0	0.4	-0.6	0.7
4400901	99	P	SUR	47	-32	717	0	0.4	-0.0	0.4
4400902	99	P	SUR	46	-21	716	0	0.4	0.3	0.5
4400904	99	P	SUR	42	-24	715	0	0.3	-0.1	0.3
44011	99	P	SUR	41	-67	717	0	0.5	-0.9	1.1
4401500	99	P	SUR	36	-66	716	0	0.4	0.3	0.5
4401501	99	P	SUR	37	-49	717	0	0.5	0.1	0.5
4401503	99	P	SUR	31	-55	719	0	0.5	0.3	0.5
4401526	99	P	SUR	37	-13	717	0	0.3	0.3	0.5
4401528	99	P	SUR	39	-61	717	0	0.5	0.1	0.5
4401529	99	P	SUR	20	-57	710	0	0.5	0.1	0.5
4401530	99	P	SUR	34	-67	714	0	0.4	-0.4	0.6
4401531	99	P	SUR	18	-54	706	0	0.4	0.6	0.7
4401533	99	P	SUR	13	-51	713	0	0.4	0.5	0.7
4401534	99	P	SUR	37	-60	717	0	0.4	-0.2	0.5
4401550	99	P	SUR	40	-42	716	0	0.4	0.0	0.4
4401551	99	P	SUR	33	-39	672	0	1.0	0.7	1.2
4401552	99	P	SUR	36	-54	715	0	0.5	-0.1	0.5
4401553	99	P	SUR	56	-44	719	0	0.5	0.1	0.5
4401554	99	P	SUR	55	-42	700	0	0.4	0.3	0.5
4401555	99	P	SUR	47	-45	719	0	0.6	0.0	0.6
44016	99	P	SUR	56	-58	4953	0	0.7	0.3	0.7
4401601	99	P	SUR	58	-54	612	0	0.4	0.0	0.4
4401602	99	P	SUR	52	-56	575	0	0.8	-0.2	0.9
4401603	99	P	SUR	57	-46	613	0	0.6	0.3	0.6
4401604	99	P	SUR	57	-53	616	0	0.5	-0.1	0.5
4401605	99	P	SUR	56	-50	613	0	0.5	-0.2	0.6
4401606	99	P	SUR	56	-59	584	0	0.5	0.3	0.6
4401607	99	P	SUR	60	-63	617	0	1.3	0.6	1.4
4401608	99	P	SUR	64	-63	619	0	0.5	0.5	0.7
4401609	99	P	SUR	56	-59	588	0	0.4	0.4	0.6
4401610	99	P	SUR	62	-68	65	0	1.6	-5.0	5.3
4401612	99	P	SUR	47	-51	608	0	0.5	0.3	0.5
4401613	99	P	SUR	56	-58	618	0	0.4	0.7	0.8
4401616	99	P	SUR	56	-59	583	0	0.4	0.2	0.5
4401618	99	P	SUR	67	-59	503	25	2.2	1.3	2.6
4401620	99	P	SUR	69	-61	465	0	1.8	0.7	1.9
4401622	99	P	SUR	57	-60	616	0	0.5	0.5	0.7
4401625	99	P	SUR	48	-50	607	0	0.4	0.3	0.5
4401627	99	P	SUR	60	-63	601	0	0.4	0.8	0.9
4401628	99	P	SUR	57	-60	614	0	0.4	-0.1	0.4
4401629	99	P	SUR	62	-69	597	0	0.9	0.3	0.9
4401630	99	P	SUR	60	-62	617	0	0.5	-0.3	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4401631	99	P	SUR	56	-59	586	0	0.6	0.1	0.6
4401633	99	P	SUR	57	-60	582	0	0.5	0.2	0.6
4401634	99	P	SUR	45	-48	614	0	0.5	-0.1	0.5
4401635	99	P	SUR	61	-64	613	0	0.4	0.2	0.5
4401636	99	P	SUR	60	-62	615	0	0.5	0.7	0.8
44018	99	P	SUR	42	-70	822	0	0.9	-0.3	1.0
44024	99	P	SUR	42	-66	875	0	0.5	-1.3	1.4
44027	99	P	SUR	44	-67	752	0	0.6	-0.1	0.6
44032	99	P	SUR	44	-69	696	0	0.5	-0.3	0.6
44033	99	P	SUR	44	-69	634	0	0.5	-0.3	0.6
44034	99	P	SUR	44	-68	506	0	0.6	-0.3	0.6
44137	99	P	SUR	42	-62	713	1	0.5	-0.2	0.6
44139	99	P	SUR	44	-57	707	0	0.5	0.1	0.6
44141	99	P	SUR	43	-58	449	0	0.7	0.4	0.8
44150	99	P	SUR	43	-64	380	0	0.7	0.1	0.7
44251	99	P	SUR	46	-53	710	0	0.5	-0.1	0.5
44255	99	P	SUR	47	-57	1047	0	0.6	0.1	0.6
44258	99	P	SUR	45	-63	712	0	0.5	-0.1	0.5
44510	99	P	SUR	44	-51	1465	1	0.5	0.5	0.7
44513	99	P	SUR	54	-10	664	0	0.4	-0.4	0.6
44515	99	P	SUR	62	-7	677	0	0.6	0.2	0.6
44517	99	P	SUR	28	-20	718	0	0.3	0.3	0.5
44521	99	P	SUR	38	-27	698	0	0.3	-0.4	0.5
44551	99	P	SUR	71	25	387	2	0.4	0.2	0.5
44614	99	P	SUR	50	-7	371	0	0.4	0.1	0.4
44624	99	P	SUR	29	-58	697	0	0.4	-0.4	0.5
44670	99	P	SUR	45	-55	705	0	0.5	-0.0	0.5
44746	99	P	SUR	37	-25	717	0	0.3	0.5	0.6
44761	99	P	SUR	60	3	718	0	0.4	-0.5	0.6
44765	99	P	SUR	51	-29	619	0	0.5	0.4	0.6
44766	99	P	SUR	40	-26	718	0	0.4	0.1	0.4
44768	99	P	SUR	31	-24	717	0	0.3	0.7	0.8
44772	99	P	SUR	48	-24	718	0	0.4	-0.1	0.4
44773	99	P	SUR	46	-7	717	0	0.8	0.5	1.0
44775	99	P	SUR	37	-50	718	0	0.5	0.2	0.5
44776	99	P	SUR	32	-27	717	0	0.3	0.7	0.8
44777	99	P	SUR	45	-52	717	0	0.5	0.0	0.5
44778	99	P	SUR	39	-22	715	0	0.3	0.5	0.6
44779	99	P	SUR	51	-44	351	0	3.5	-1.1	3.6
44835	99	P	SUR	31	-43	717	0	0.4	-0.5	0.6
44837	99	P	SUR	23	-69	717	0	0.4	-0.2	0.4
44839	99	P	SUR	26	-35	717	0	0.4	-0.1	0.4
44846	99	P	SUR	30	-27	715	0	0.3	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44848	99	P	SUR	27	-27	716	0	0.3	0.2	0.4
44856	99	P	SUR	38	-37	718	0	0.3	0.7	0.7
44857	99	P	SUR	43	-26	717	0	0.4	0.5	0.6
44863	99	P	SUR	29	-64	717	0	0.3	-0.7	0.8
44866	99	P	SUR	70	20	718	2	1.3	-0.6	1.4
44874	99	P	SUR	33	-30	717	0	0.2	0.4	0.5
44875	99	P	SUR	35	-40	154	18	5.5	1.4	5.6
44885	99	P	SUR	17	-56	716	0	0.5	-0.3	0.5
44887	99	P	SUR	30	-48	717	0	0.5	0.0	0.5
44889	99	P	SUR	35	-44	717	0	0.5	-0.1	0.5
44891	99	P	SUR	32	-59	717	0	0.4	-0.5	0.6
44896	99	P	SUR	31	-29	710	0	0.4	-0.6	0.7
44901	99	P	SUR	47	-32	717	0	0.4	-0.0	0.4
44902	99	P	SUR	46	-21	714	0	0.4	0.3	0.5
44904	99	P	SUR	42	-24	713	0	0.3	-0.1	0.3
45138	99	P	SUR	50	-66	142	0	0.4	-0.1	0.4
4700509	99	P	SUR	60	-33	615	275	8.9	-3.1	9.4
4700539	99	P	SUR	45	-21	612	0	0.4	0.2	0.5
4700540	99	P	SUR	52	-20	607	0	0.4	0.7	0.8
4700546	99	P	SUR	45	-53	608	0	0.5	0.3	0.6
4700549	99	P	SUR	61	-10	605	0	0.5	0.2	0.5
4700551	99	P	SUR	45	-50	632	203	7.2	4.4	8.4
4700552	99	P	SUR	67	-63	648	0	0.4	-1.7	1.7
4700555	99	P	SUR	45	-52	606	0	0.5	0.1	0.5
4700557	99	P	SUR	49	-18	610	0	0.4	0.1	0.4
4700560	99	P	SUR	52	-23	614	0	0.4	0.5	0.6
4700562	99	P	SUR	54	-20	616	0	0.4	0.3	0.5
4700568	99	P	SUR	48	-17	604	0	0.4	0.5	0.7
4700569	99	P	SUR	45	-26	608	0	0.3	-0.5	0.6
4700574	99	P	SUR	44	-48	611	0	0.5	0.0	0.5
4700589	99	P	SUR	67	-63	629	0	0.4	-2.0	2.0
4701656	99	P	SUR	80	-67	603	0	0.5	-1.7	1.8
4701657	99	P	SUR	80	-65	592	0	0.5	-1.3	1.4
47509	99	P	SUR	60	-33	698	292	9.1	-2.4	9.4
47539	99	P	SUR	45	-21	704	0	0.4	0.2	0.5
47540	99	P	SUR	52	-20	697	0	0.4	0.7	0.8
47546	99	P	SUR	45	-53	701	0	0.5	0.3	0.6
47549	99	P	SUR	61	-10	703	0	0.5	0.2	0.5
47551	99	P	SUR	45	-50	708	202	7.4	3.3	8.1
47552	99	P	SUR	67	-63	705	0	0.5	-1.7	1.7
47555	99	P	SUR	45	-52	699	0	0.5	0.1	0.5
47557	99	P	SUR	49	-18	697	0	0.4	0.0	0.4
47560	99	P	SUR	52	-23	703	0	0.4	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
47562	99	P	SUR	54	-20	695	0	0.4	0.3	0.5
47568	99	P	SUR	48	-17	700	0	0.4	0.5	0.7
47569	99	P	SUR	45	-26	705	0	0.3	-0.6	0.7
47574	99	P	SUR	44	-48	704	0	0.5	0.0	0.5
47589	99	P	SUR	67	-63	709	0	0.5	-2.0	2.0
4800520	99	P	SUR	79	-12	214	0	0.6	0.3	0.7
4800600	99	P	SUR	85	-28	693	0	0.6	0.1	0.6
48520	99	P	SUR	79	-12	212	0	0.6	0.4	0.7
48600	99	P	SUR	85	-28	706	0	0.6	0.1	0.6
6100001	99	P	SUR	43	8	720	0	0.6	-0.2	0.6
6100002	99	P	SUR	42	5	715	0	0.4	0.1	0.4
61001	99	P	SUR	43	8	686	0	0.6	-0.3	0.6
61002	99	P	SUR	42	5	679	0	0.4	0.1	0.4
6200092	99	P	SUR	51	-11	718	0	0.5	-0.3	0.6
6200093	99	P	SUR	55	-10	719	0	0.5	-0.4	0.6
6200094	99	P	SUR	52	-7	719	0	0.5	-0.3	0.6
62001	99	P	SUR	45	-5	719	0	0.7	-0.1	0.7
6200513	99	P	SUR	61	-39	711	0	0.6	-0.2	0.6
6200554	99	P	SUR	42	-14	716	0	0.4	0.2	0.5
6200556	99	P	SUR	31	-25	712	0	0.3	-0.2	0.4
6200558	99	P	SUR	51	-11	590	0	0.4	0.1	0.5
6200559	99	P	SUR	47	-28	717	0	0.4	0.5	0.7
6200560	99	P	SUR	20	-44	717	0	0.3	0.3	0.4
6200714	99	P	SUR	40	-27	615	0	0.3	-0.3	0.4
6200940	99	P	SUR	37	-17	702	0	0.3	0.0	0.3
6200941	99	P	SUR	25	-34	702	0	0.4	-0.3	0.5
62029	99	P	SUR	49	-13	1352	0	0.4	-0.1	0.4
6203503	99	P	SUR	32	-21	711	0	0.3	0.1	0.3
6203504	99	P	SUR	34	-26	718	0	0.2	0.5	0.5
62050	99	P	SUR	50	-4	719	0	0.5	0.3	0.5
62082	99	P	SUR	55	6	1	0	0.0	-0.8	0.8
62086	99	P	SUR	55	6	702	1	0.4	-0.2	0.5
62095	99	P	SUR	53	-16	171	0	0.4	-0.2	0.4
62102	99	P	SUR	58	2	720	0	0.5	0.1	0.5
62103	99	P	SUR	50	-3	720	0	0.5	0.4	0.6
62104	99	P	SUR	57	1	719	0	0.4	0.1	0.4
62105	99	P	SUR	55	-13	667	0	0.7	-0.6	0.9
62107	99	P	SUR	50	-6	1420	2	0.7	0.2	0.7
62111	99	P	SUR	58	0	720	0	0.4	1.5	1.5
62112	99	P	SUR	58	0	720	0	0.4	0.2	0.4
62113	99	P	SUR	58	0	720	0	0.5	0.2	0.5
62114	99	P	SUR	58	0	1437	0	0.5	0.1	0.5
62115	99	P	SUR	58	-3	709	0	0.4	-0.0	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62116	99	P	SUR	58	1	720	0	0.5	-0.0	0.5
62117	99	P	SUR	58	0	720	0	0.4	0.1	0.4
62118	99	P	SUR	58	1	719	0	0.4	0.5	0.6
62119	99	P	SUR	57	2	719	0	0.5	0.1	0.5
62120	99	P	SUR	56	2	698	0	0.6	-0.0	0.6
62121	99	P	SUR	54	3	720	0	0.6	0.5	0.8
62122	99	P	SUR	57	2	1429	0	0.5	0.0	0.5
62123	99	P	SUR	56	2	1142	0	5.0	-1.8	5.3
62124	99	P	SUR	54	-4	716	0	0.4	-0.1	0.4
62127	99	P	SUR	54	1	720	0	0.4	0.5	0.6
62128	99	P	SUR	59	1	718	0	0.5	0.1	0.5
62129	99	P	SUR	58	0	720	0	0.5	0.0	0.5
62130	99	P	SUR	59	1	720	0	0.4	-0.1	0.4
62131	99	P	SUR	54	1	713	0	0.4	0.5	0.6
62132	99	P	SUR	56	2	719	0	0.5	0.4	0.6
62133	99	P	SUR	57	1	719	0	0.5	0.0	0.5
62134	99	P	SUR	58	1	720	0	0.4	0.4	0.6
62135	99	P	SUR	54	2	720	0	0.6	0.5	0.8
62136	99	P	SUR	54	3	720	0	0.4	0.6	0.7
62137	99	P	SUR	57	2	720	0	0.4	-0.1	0.4
62138	99	P	SUR	54	0	1437	0	0.5	0.8	0.9
62139	99	P	SUR	53	2	1436	0	0.4	0.3	0.5
62140	99	P	SUR	57	1	1435	0	0.4	0.0	0.4
62141	99	P	SUR	61	1	710	0	1.1	-2.2	2.5
62143	99	P	SUR	58	2	718	0	0.5	0.6	0.8
62144	99	P	SUR	53	2	720	0	0.4	0.3	0.5
62145	99	P	SUR	53	3	1301	0	0.4	0.5	0.6
62146	99	P	SUR	57	2	707	0	0.5	0.3	0.6
62148	99	P	SUR	54	2	720	0	0.4	0.9	1.0
62149	99	P	SUR	54	1	720	0	0.4	0.7	0.8
62150	99	P	SUR	54	1	720	0	0.4	1.3	1.3
62151	99	P	SUR	57	2	1437	0	0.4	0.2	0.5
62152	99	P	SUR	57	2	720	0	0.4	0.4	0.6
62153	99	P	SUR	57	2	1429	0	0.5	0.4	0.6
62154	99	P	SUR	56	2	720	0	0.4	-0.0	0.4
62155	99	P	SUR	58	1	715	0	0.4	0.3	0.5
62157	99	P	SUR	58	0	720	0	0.4	0.0	0.4
62160	99	P	SUR	57	2	1303	0	0.4	0.1	0.4
62162	99	P	SUR	57	1	720	0	0.4	-0.0	0.4
62163	99	P	SUR	48	-8	716	0	0.5	0.3	0.6
62164	99	P	SUR	57	1	720	0	0.4	0.3	0.5
62165	99	P	SUR	54	1	720	0	0.4	0.5	0.7
62167	99	P	SUR	53	2	1437	0	0.5	0.3	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62168	99	P	SUR	58	1	718	0	0.4	0.0	0.4
62170	99	P	SUR	51	2	704	0	0.5	0.2	0.6
62296	99	P	SUR	53	2	720	0	0.4	0.1	0.4
62297	99	P	SUR	59	2	1433	0	0.4	0.0	0.4
62302	99	P	SUR	61	-2	720	0	0.5	-0.2	0.6
62304	99	P	SUR	51	2	672	0	0.6	0.2	0.7
62305	99	P	SUR	50	0	811	3	0.4	0.3	0.5
62513	99	P	SUR	61	-39	717	0	0.6	-0.2	0.6
62554	99	P	SUR	42	-14	716	0	0.4	0.2	0.5
62556	99	P	SUR	31	-25	717	0	0.3	-0.2	0.4
62558	99	P	SUR	51	-11	590	0	0.4	0.1	0.5
62559	99	P	SUR	47	-28	718	0	0.4	0.5	0.7
62560	99	P	SUR	20	-44	716	0	0.3	0.3	0.4
62714	99	P	SUR	40	-26	614	0	0.3	-0.3	0.4
62940	99	P	SUR	37	-17	717	0	0.3	0.0	0.3
62941	99	P	SUR	25	-34	717	0	0.4	-0.3	0.5
6300561	99	P	SUR	75	8	720	0	0.5	0.2	0.5
6300646	99	P	SUR	70	15	716	0	0.4	0.5	0.7
6300923	99	P	SUR	65	-28	69	55	6.4	-6.0	8.8
6301550	99	P	SUR	73	30	718	0	0.4	0.4	0.5
6301551	99	P	SUR	76	34	717	0	0.4	0.5	0.6
63055	99	P	SUR	61	2	719	0	0.4	-0.0	0.5
63056	99	P	SUR	60	2	720	0	0.5	0.2	0.5
63057	99	P	SUR	59	2	719	0	0.4	-0.2	0.4
63058	99	P	SUR	53	2	2155	0	0.4	0.3	0.5
63059	99	P	SUR	58	-1	720	0	0.4	0.3	0.5
63101	99	P	SUR	61	1	720	0	0.5	0.0	0.5
63102	99	P	SUR	61	1	719	0	0.4	0.1	0.5
63103	99	P	SUR	61	1	719	0	0.4	0.2	0.5
63104	99	P	SUR	61	2	720	0	0.5	-0.0	0.5
63105	99	P	SUR	61	2	720	0	0.5	-0.0	0.5
63108	99	P	SUR	61	2	718	0	0.5	-0.1	0.5
63109	99	P	SUR	60	2	719	0	0.4	-0.2	0.5
63110	99	P	SUR	60	2	718	0	0.4	-0.2	0.5
63111	99	P	SUR	61	2	1417	0	0.5	-0.4	0.6
63112	99	P	SUR	61	1	720	0	0.4	-0.4	0.6
63115	99	P	SUR	62	1	719	0	0.5	0.0	0.5
63117	99	P	SUR	61	1	1437	0	0.6	0.3	0.7
63118	99	P	SUR	62	1	713	0	0.6	-0.5	0.8
63119	99	P	SUR	56	-3	63	0	0.6	0.0	0.6
63120	99	P	SUR	54	2	720	0	0.4	0.5	0.6
63561	99	P	SUR	75	9	709	0	0.5	0.2	0.5
63646	99	P	SUR	70	15	717	0	0.5	0.5	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
63923	99	P	SUR	65	-28	71	57	6.4	-6.0	8.8
6400519	99	P	SUR	77	6	225	1	1.0	0.4	1.1
6400524	99	P	SUR	67	13	711	0	0.5	0.3	0.6
6400526	99	P	SUR	63	-58	709	0	0.7	0.2	0.8
6400528	99	P	SUR	72	23	717	0	0.4	0.4	0.5
6400530	99	P	SUR	80	15	718	0	0.6	0.0	0.6
6400534	99	P	SUR	63	-29	66	66	0.0	0.0	0.0
6400547	99	P	SUR	71	4	719	0	0.4	0.2	0.5
6400551	99	P	SUR	59	-35	718	0	0.5	-0.3	0.6
6400553	99	P	SUR	76	8	711	4	1.1	-0.1	1.1
6400562	99	P	SUR	58	-34	710	0	1.1	-0.3	1.1
6400666	99	P	SUR	68	-20	719	0	0.6	0.6	0.8
6400757	99	P	SUR	80	-5	612	0	0.5	-0.3	0.6
6400973	99	P	SUR	82	32	631	0	0.4	0.0	0.4
6401500	99	P	SUR	67	-30	719	0	0.6	0.3	0.7
6401550	99	P	SUR	61	-9	714	0	0.5	0.3	0.6
6401551	99	P	SUR	61	-21	719	0	1.3	0.8	1.6
6401552	99	P	SUR	60	-39	718	0	0.6	0.9	1.1
6401554	99	P	SUR	63	-6	717	0	0.4	0.1	0.4
6401555	99	P	SUR	60	-12	563	0	0.4	0.3	0.5
6401556	99	P	SUR	62	-17	563	0	0.4	0.1	0.5
64041	99	P	SUR	61	-3	720	0	0.5	-0.2	0.5
64045	99	P	SUR	59	-12	1435	0	0.5	-0.2	0.5
64046	99	P	SUR	61	-4	719	0	0.4	0.0	0.4
64519	99	P	SUR	77	6	223	1	1.0	0.4	1.1
64524	99	P	SUR	67	13	718	0	0.5	0.3	0.6
64526	99	P	SUR	63	-58	710	0	0.7	0.2	0.8
64528	99	P	SUR	72	23	715	0	0.4	0.4	0.5
64530	99	P	SUR	80	15	717	0	0.6	0.0	0.6
64534	99	P	SUR	63	-29	69	69	0.0	0.0	0.0
64547	99	P	SUR	71	4	717	0	0.4	0.2	0.5
64551	99	P	SUR	59	-35	718	0	0.5	-0.3	0.6
64553	99	P	SUR	76	8	713	5	1.2	-0.1	1.2
64562	99	P	SUR	58	-34	717	0	1.1	-0.3	1.1
64666	99	P	SUR	68	-20	718	0	0.6	0.6	0.8
64757	99	P	SUR	80	-5	697	0	0.6	-0.2	0.6
64973	99	P	SUR	82	32	707	0	0.4	0.0	0.4
6500514	99	P	SUR	55	-22	717	0	0.5	0.1	0.5
6500515	99	P	SUR	60	-30	711	0	1.4	-0.2	1.4
6500519	99	P	SUR	68	-1	714	0	0.4	0.3	0.6
6500596	99	P	SUR	65	-8	707	0	0.5	0.5	0.7
6500599	99	P	SUR	61	-6	718	0	0.5	0.2	0.6
6500602	99	P	SUR	53	-25	717	0	0.4	0.5	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6501551	99	P	SUR	58	-54	719	0	0.5	-0.0	0.5
6501552	99	P	SUR	58	-53	714	0	0.5	0.4	0.6
6501553	99	P	SUR	57	-54	719	0	0.5	0.4	0.7
6501555	99	P	SUR	65	-52	713	0	0.5	-0.3	0.6
6501556	99	P	SUR	58	-52	717	0	0.5	0.3	0.6
6501557	99	P	SUR	61	-32	716	0	0.6	0.3	0.6
6501558	99	P	SUR	59	-58	715	0	0.5	0.4	0.6
65514	99	P	SUR	55	-22	717	0	0.5	0.1	0.5
65515	99	P	SUR	60	-30	717	0	1.4	-0.2	1.4
65519	99	P	SUR	68	-1	717	0	0.4	0.3	0.6
65596	99	P	SUR	65	-8	711	0	0.5	0.5	0.7
65599	99	P	SUR	61	-5	717	0	0.5	0.2	0.6
65602	99	P	SUR	53	-25	717	0	0.4	0.5	0.7

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
086	99	SPEED	SUR	55	6	1	0	0	0.0	0.9	0.9
1300001	99	SPEED	SUR	11	-23	663	0	0	1.2	0.6	1.4
1300002	99	SPEED	SUR	20	-23	333	0	0	1.2	0.1	1.2
13002	99	SPEED	SUR	20	-23	337	0	0	1.2	0.1	1.2
4100026	99	SPEED	SUR	12	-38	315	0	0	1.4	0.5	1.5
4100139	99	SPEED	SUR	20	-38	316	0	0	1.1	0.1	1.1
4100300	99	SPEED	SUR	16	-57	716	0	0	1.0	-0.4	1.1
41026	99	SPEED	SUR	12	-38	318	0	0	1.4	0.6	1.5
41040	99	SPEED	SUR	15	-53	713	0	0	0.9	-0.1	0.9
41041	99	SPEED	SUR	14	-46	700	0	0	1.0	-0.1	1.0
41043	99	SPEED	SUR	21	-65	1336	0	0	1.8	0.2	1.8
41044	99	SPEED	SUR	22	-59	1345	0	0	1.4	-0.0	1.4
41046	99	SPEED	SUR	24	-69	1381	0	0	1.2	-0.1	1.2
41048	99	SPEED	SUR	32	-70	789	0	0	1.3	0.1	1.3
41049	99	SPEED	SUR	28	-63	715	0	0	1.3	0.1	1.3
41052	99	SPEED	SUR	18	-65	1903	0	0	1.4	-0.0	1.4
41053	99	SPEED	SUR	19	-66	1885	0	0	1.8	0.5	1.8
41056	99	SPEED	SUR	18	-66	1683	0	0	1.6	0.0	1.6
41139	99	SPEED	SUR	20	-38	326	0	0	1.1	0.1	1.1
41300	99	SPEED	SUR	16	-57	682	0	0	1.1	-0.3	1.1
42059	99	SPEED	SUR	15	-68	1332	0	0	1.6	0.3	1.6
42085	99	SPEED	SUR	18	-67	1643	0	0	1.6	0.3	1.7
42088	99	SPEED	SUR	11	-61	1622	0	0	1.5	-2.0	2.5
42090	99	SPEED	SUR	18	-70	2070	0	0	1.4	-0.2	1.4
44005	99	SPEED	SUR	43	-69	739	0	0	1.2	0.2	1.2
44018	99	SPEED	SUR	42	-70	822	0	0	1.6	0.0	1.6
44024	99	SPEED	SUR	42	-66	876	0	0	1.1	0.2	1.1
44027	99	SPEED	SUR	44	-67	752	0	0	1.3	0.8	1.5
44032	99	SPEED	SUR	44	-69	696	0	0	1.4	0.4	1.5
44033	99	SPEED	SUR	44	-69	635	0	0	1.4	0.6	1.5
44034	99	SPEED	SUR	44	-68	506	0	0	1.2	0.2	1.3
44037	99	SPEED	SUR	44	-68	544	0	0	1.5	0.4	1.5
44137	99	SPEED	SUR	42	-62	720	0	0	1.4	0.2	1.5
44139	99	SPEED	SUR	44	-57	714	0	0	1.7	-0.4	1.7

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44141	99	SPEED	SUR	43	-58	449	0	0	1.8	-0.4	1.8
44150	99	SPEED	SUR	43	-64	385	0	0	1.3	-0.0	1.3
44251	99	SPEED	SUR	46	-53	716	0	0	1.8	-0.2	1.8
44255	99	SPEED	SUR	47	-57	1056	0	0	1.4	0.1	1.4
44258	99	SPEED	SUR	45	-63	715	0	0	1.4	0.8	1.6
45138	99	SPEED	SUR	50	-66	142	0	0	1.4	0.2	1.4
6100001	99	SPEED	SUR	43	8	216	0	0	2.0	-0.1	2.0
6100002	99	SPEED	SUR	42	5	715	0	0	3.4	7.1	7.9
61001	99	SPEED	SUR	43	8	182	0	0	2.0	-0.6	2.1
61002	99	SPEED	SUR	42	5	679	0	0	1.5	-0.9	1.8
6200091	99	SPEED	SUR	55	-10	633	0	0	1.3	-0.6	1.5
6200092	99	SPEED	SUR	51	-11	718	0	0	1.3	-0.5	1.3
6200093	99	SPEED	SUR	55	-10	719	0	0	1.3	-0.4	1.3
6200094	99	SPEED	SUR	52	-7	719	0	0	1.0	0.3	1.1
62001	99	SPEED	SUR	45	-5	719	0	0	1.4	0.8	1.6
62029	99	SPEED	SUR	49	-13	1352	0	0	1.2	-0.0	1.2
62050	99	SPEED	SUR	50	-4	719	0	0	1.3	0.5	1.4
62082	99	SPEED	SUR	55	6	1	0	0	0.0	0.8	0.8
62086	99	SPEED	SUR	55	6	706	1	0	1.6	0.5	1.7
62095	99	SPEED	SUR	53	-16	186	0	0	1.1	0.1	1.1
62102	99	SPEED	SUR	58	2	720	0	0	1.4	-0.5	1.5
62103	99	SPEED	SUR	50	-3	232	0	0	1.4	1.1	1.8
62104	99	SPEED	SUR	57	1	719	0	0	1.5	-0.8	1.7
62105	99	SPEED	SUR	55	-13	619	0	0	1.2	0.3	1.2
62107	99	SPEED	SUR	50	-6	1422	0	0	1.7	1.3	2.1
62111	99	SPEED	SUR	58	0	720	0	0	1.5	0.0	1.5
62112	99	SPEED	SUR	58	0	720	0	0	2.3	-1.9	3.0
62113	99	SPEED	SUR	58	0	720	0	0	1.5	0.0	1.5
62114	99	SPEED	SUR	58	0	1437	0	0	1.5	0.2	1.5
62117	99	SPEED	SUR	58	0	720	0	0	1.3	-0.5	1.4
62118	99	SPEED	SUR	58	1	719	0	0	1.5	0.1	1.5
62119	99	SPEED	SUR	57	2	719	0	0	1.8	-0.8	2.0
62120	99	SPEED	SUR	56	2	699	0	0	1.4	-0.3	1.5
62121	99	SPEED	SUR	54	3	720	0	0	1.4	-0.5	1.5
62122	99	SPEED	SUR	57	2	1429	0	0	1.4	-0.5	1.5
62123	99	SPEED	SUR	56	2	1142	0	0	3.2	-5.2	6.2
62128	99	SPEED	SUR	59	1	718	0	0	1.5	0.1	1.5
62129	99	SPEED	SUR	58	0	564	2	0	1.7	-0.2	1.7
62131	99	SPEED	SUR	54	1	713	0	0	2.5	-1.8	3.1
62132	99	SPEED	SUR	56	2	719	0	0	2.5	-2.1	3.3
62133	99	SPEED	SUR	57	1	719	0	0	1.5	-0.6	1.6

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62134	99	SPEED	SUR	58	1	720	0	0	1.6	-0.5	1.7
62140	99	SPEED	SUR	57	1	1435	0	0	1.5	-0.2	1.5
62143	99	SPEED	SUR	58	2	718	0	0	2.0	-1.0	2.3
62144	99	SPEED	SUR	53	2	720	0	0	1.8	-1.2	2.1
62145	99	SPEED	SUR	53	3	1301	0	0	1.5	-0.0	1.5
62146	99	SPEED	SUR	57	2	704	0	0	1.7	-0.4	1.7
62148	99	SPEED	SUR	54	2	720	0	0	1.6	-0.9	1.9
62149	99	SPEED	SUR	54	1	720	0	0	1.3	-0.2	1.4
62150	99	SPEED	SUR	54	1	720	0	0	2.3	-1.7	2.9
62152	99	SPEED	SUR	57	2	720	0	0	2.2	-1.7	2.7
62153	99	SPEED	SUR	57	2	1429	0	0	2.9	-2.3	3.7
62154	99	SPEED	SUR	56	2	720	0	0	1.5	-0.8	1.7
62155	99	SPEED	SUR	58	1	708	0	0	1.8	0.2	1.8
62163	99	SPEED	SUR	48	-8	716	0	0	1.2	0.1	1.2
62164	99	SPEED	SUR	57	1	720	0	0	1.7	-1.6	2.3
62165	99	SPEED	SUR	54	1	720	0	0	2.9	-2.6	3.9
62170	99	SPEED	SUR	51	2	704	0	0	1.9	1.8	2.6
62304	99	SPEED	SUR	51	2	660	0	0	1.8	1.6	2.4
62305	99	SPEED	SUR	50	0	811	0	0	2.1	1.8	2.8
63055	99	SPEED	SUR	61	2	719	0	0	1.5	-0.9	1.8
63056	99	SPEED	SUR	60	2	720	0	0	1.4	-0.4	1.5
63057	99	SPEED	SUR	59	2	719	0	0	1.8	-0.3	1.8
63058	99	SPEED	SUR	53	2	1432	0	0	1.3	-0.3	1.3
63101	99	SPEED	SUR	61	1	720	0	0	1.8	-1.2	2.2
63103	99	SPEED	SUR	61	1	674	0	0	1.8	-0.5	1.8
63104	99	SPEED	SUR	61	2	720	0	0	1.4	-0.6	1.5
63105	99	SPEED	SUR	61	2	720	0	0	1.4	-0.3	1.4
63106	99	SPEED	SUR	61	2	720	0	0	1.4	-0.3	1.4
63108	99	SPEED	SUR	61	2	720	0	0	1.8	-0.4	1.8
63109	99	SPEED	SUR	60	2	707	0	0	1.6	-0.1	1.6
63110	99	SPEED	SUR	60	2	718	0	0	1.4	-0.8	1.6
63112	99	SPEED	SUR	61	1	720	0	0	1.4	-0.7	1.6
63113	99	SPEED	SUR	61	2	720	0	0	1.4	-0.6	1.5
63115	99	SPEED	SUR	62	1	719	0	0	1.6	-0.6	1.7
63117	99	SPEED	SUR	61	1	1437	0	0	1.5	-0.7	1.6
63119	99	SPEED	SUR	56	-3	64	0	0	2.0	-0.4	2.0
64041	99	SPEED	SUR	61	-3	720	0	0	1.3	-0.5	1.4
64045	99	SPEED	SUR	59	-12	1435	0	0	1.2	0.3	1.2
64046	99	SPEED	SUR	61	-4	719	0	0	1.4	0.1	1.5
66021	99	SPEED	SUR	55	14	720	0	0	5.4	-4.5	7.1
66022	99	SPEED	SUR	54	14	1230	0	0	1.3	-0.5	1.3

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
66024	99	SPEED	SUR	55	13	716	0	0	1.3	0.6	1.5

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : NOV 2016
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	DIRN	SUR	11	-23	562	0	0	20.9	8.1	22.4
1300002	99	DIRN	SUR	20	-23	294	0	0	15.2	3.6	15.6
13002	99	DIRN	SUR	20	-23	284	0	0	15.9	2.9	16.2
4100026	99	DIRN	SUR	12	-38	264	0	0	21.5	-8.2	23.0
4100139	99	DIRN	SUR	20	-38	204	0	0	19.0	-2.3	19.2
41002	99	DIRN	SUR	32	-75	642	0	0	15.2	4.2	15.8
4100300	99	DIRN	SUR	16	-57	683	0	0	16.4	4.9	17.1
41004	99	DIRN	SUR	33	-79	736	0	0	16.0	10.3	19.1
41008	99	DIRN	SUR	31	-81	249	0	0	13.1	8.3	15.5
41013	99	DIRN	SUR	33	-78	1111	0	0	17.7	10.5	20.6
41024	99	DIRN	SUR	34	-79	468	0	0	15.2	-2.8	15.4
41025	99	DIRN	SUR	35	-75	649	0	0	15.4	-1.2	15.4
41026	99	DIRN	SUR	12	-38	255	0	0	21.5	-8.1	22.9
41029	99	DIRN	SUR	33	-80	522	0	0	14.6	-0.6	14.6
41033	99	DIRN	SUR	32	-80	375	0	0	14.3	1.3	14.4
41037	99	DIRN	SUR	34	-77	597	0	0	25.4	-2.2	25.5
41038	99	DIRN	SUR	34	-78	497	0	0	19.0	1.0	19.0
41040	99	DIRN	SUR	15	-53	693	0	0	12.0	0.1	12.0
41041	99	DIRN	SUR	14	-46	627	0	0	12.1	2.7	12.4
41043	99	DIRN	SUR	21	-65	1141	0	0	23.3	8.4	24.7
41044	99	DIRN	SUR	22	-59	1120	0	0	20.5	1.6	20.6
41046	99	DIRN	SUR	24	-69	1271	0	0	18.1	3.7	18.5
41047	99	DIRN	SUR	28	-72	1119	0	0	19.8	5.9	20.6
41048	99	DIRN	SUR	32	-70	683	0	0	13.0	9.3	16.0
41049	99	DIRN	SUR	28	-63	592	0	0	16.6	3.7	17.0
41052	99	DIRN	SUR	18	-65	1444	0	0	23.6	1.7	23.6
41053	99	DIRN	SUR	19	-66	674	0	0	28.9	-4.0	29.1
41056	99	DIRN	SUR	18	-66	1165	0	0	29.0	-2.6	29.1
41064	99	DIRN	SUR	34	-77	285	0	0	34.5	-15.2	37.7
41139	99	DIRN	SUR	20	-38	197	0	0	17.9	-3.7	18.2
41300	99	DIRN	SUR	16	-57	649	0	0	14.9	5.0	15.8
42013	99	DIRN	SUR	27	-83	510	0	0	14.0	-6.2	15.3

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42022	99	DIRN	SUR	28	-84	1074	0	0	14.0	-3.8	14.5
42023	99	DIRN	SUR	26	-83	1022	0	0	11.4	1.2	11.4
42036	99	DIRN	SUR	29	-85	610	0	0	14.2	-2.7	14.5
42056	99	DIRN	SUR	20	-85	1311	0	0	12.2	5.4	13.3
42058	99	DIRN	SUR	15	-75	623	0	0	19.8	3.0	20.1
42059	99	DIRN	SUR	15	-68	1174	0	0	22.7	-0.7	22.7
42085	99	DIRN	SUR	18	-67	1045	0	0	26.3	6.2	27.0
42088	99	DIRN	SUR	11	-61	736	0	0	43.7	-32.9	54.7
42089	99	DIRN	SUR	20	-80	1352	0	0	9.4	-1.7	9.6
42090	99	DIRN	SUR	18	-70	1035	0	0	26.2	-18.8	32.2
44005	99	DIRN	SUR	43	-69	622	0	0	16.0	13.6	21.0
44007	99	DIRN	SUR	44	-70	599	0	0	30.7	9.1	32.0
44013	99	DIRN	SUR	42	-71	671	0	0	16.8	7.1	18.3
44014	99	DIRN	SUR	37	-75	597	0	0	17.5	2.3	17.6
44017	99	DIRN	SUR	41	-72	641	0	0	14.7	10.4	18.0
44018	99	DIRN	SUR	42	-70	693	0	0	22.0	9.3	23.8
44022	99	DIRN	SUR	41	-74	277	0	0	17.7	9.7	20.2
44024	99	DIRN	SUR	42	-66	784	0	0	12.9	3.4	13.3
44025	99	DIRN	SUR	40	-73	736	0	0	15.0	-0.3	15.0
44027	99	DIRN	SUR	44	-67	620	0	0	16.0	7.3	17.6
44029	99	DIRN	SUR	43	-71	828	0	0	14.5	1.5	14.6
44030	99	DIRN	SUR	43	-70	547	0	0	24.3	2.5	24.4
44032	99	DIRN	SUR	44	-69	593	0	0	17.7	0.7	17.7
44033	99	DIRN	SUR	44	-69	504	0	0	19.5	-2.1	19.6
44034	99	DIRN	SUR	44	-68	454	0	0	18.4	4.8	19.1
44037	99	DIRN	SUR	44	-68	484	0	0	29.5	2.7	29.6
44039	99	DIRN	SUR	41	-73	487	0	0	17.7	2.0	17.8
44041	99	DIRN	SUR	37	-77	198	0	0	14.2	10.2	17.5
44042	99	DIRN	SUR	38	-76	674	0	0	16.2	-10.5	19.3
44043	99	DIRN	SUR	39	-76	664	0	0	19.1	-9.1	21.1
44057	99	DIRN	SUR	40	-76	338	0	0	14.0	-12.3	18.6
44058	99	DIRN	SUR	38	-76	390	0	0	20.2	-14.7	25.0
44061	99	DIRN	SUR	39	-77	235	0	0	11.6	-13.6	17.9
44062	99	DIRN	SUR	39	-76	420	0	0	25.7	-8.0	26.9
44063	99	DIRN	SUR	39	-76	639	0	0	19.1	-8.0	20.7
44065	99	DIRN	SUR	40	-74	627	0	0	12.6	5.4	13.8
44069	99	DIRN	SUR	41	-73	476	0	0	40.4	-26.2	48.2
44072	99	DIRN	SUR	37	-76	744	0	0	17.7	-11.5	21.1
44137	99	DIRN	SUR	42	-62	639	0	0	15.8	-1.2	15.8
44139	99	DIRN	SUR	44	-57	613	0	0	21.8	9.8	23.9
44141	99	DIRN	SUR	43	-58	405	0	0	15.9	7.4	17.5

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44150	99	DIRN	SUR	43	-64	333	0	0	11.9	1.8	12.0
44251	99	DIRN	SUR	46	-53	545	0	0	26.4	13.8	29.8
44255	99	DIRN	SUR	47	-57	780	0	0	20.2	7.7	21.6
44258	99	DIRN	SUR	45	-63	578	0	0	16.1	0.5	16.1
45003	99	DIRN	SUR	45	-83	289	0	0	15.1	-1.4	15.1
45005	99	DIRN	SUR	42	-82	973	0	0	13.8	8.2	16.1
45008	99	DIRN	SUR	44	-82	515	0	0	13.8	7.2	15.6
45012	99	DIRN	SUR	44	-77	547	0	0	17.1	8.5	19.1
45132	99	DIRN	SUR	43	-81	626	0	0	15.7	-9.5	18.4
45135	99	DIRN	SUR	44	-77	10	0	0	11.8	-24.8	27.5
45137	99	DIRN	SUR	46	-81	609	0	0	15.9	-11.3	19.5
45138	99	DIRN	SUR	50	-66	104	0	0	16.2	-2.2	16.4
45139	99	DIRN	SUR	43	-80	466	0	0	14.6	-17.0	22.4
45142	99	DIRN	SUR	43	-79	572	0	0	15.7	-20.6	26.0
45143	99	DIRN	SUR	45	-81	935	0	0	15.0	-18.8	24.1
45147	99	DIRN	SUR	42	-83	476	0	0	15.2	-3.8	15.6
45149	99	DIRN	SUR	44	-82	255	0	0	13.0	-9.5	16.1
45151	99	DIRN	SUR	45	-79	412	0	0	14.7	4.9	15.5
45154	99	DIRN	SUR	46	-83	637	0	0	16.0	-13.6	21.0
45159	99	DIRN	SUR	44	-79	445	0	0	27.3	-5.4	27.8
45167	99	DIRN	SUR	42	-80	57	0	0	17.5	-17.6	24.8
45169	99	DIRN	SUR	42	-82	2	0	0	0.0	-31.9	31.9
45176	99	DIRN	SUR	42	-82	2	0	0	10.0	-31.9	33.5
6200091	99	DIRN	SUR	55	-10	523	0	0	11.5	-0.6	11.5
6200092	99	DIRN	SUR	51	-11	673	0	0	13.0	3.1	13.4
6200093	99	DIRN	SUR	55	-10	614	0	0	11.7	1.9	11.9
6200094	99	DIRN	SUR	52	-7	696	0	0	10.1	4.6	11.1
62001	99	DIRN	SUR	45	-5	629	0	0	14.4	2.9	14.7
62029	99	DIRN	SUR	49	-13	1323	0	0	11.4	5.4	12.6
62050	99	DIRN	SUR	50	-4	670	0	0	14.0	1.4	14.0
62095	99	DIRN	SUR	53	-16	167	0	0	11.2	4.7	12.2
62103	99	DIRN	SUR	50	-3	214	0	0	22.8	14.9	27.2
62105	99	DIRN	SUR	55	-13	563	0	0	14.5	4.7	15.2
62107	99	DIRN	SUR	50	-6	1357	0	0	15.0	3.5	15.4
62111	99	DIRN	SUR	58	0	655	0	0	13.5	-2.5	13.7
62112	99	DIRN	SUR	58	0	587	0	0	13.7	3.9	14.2
62114	99	DIRN	SUR	58	0	1293	0	0	14.4	2.6	14.7
62117	99	DIRN	SUR	58	0	660	0	0	11.7	5.3	12.8
62163	99	DIRN	SUR	48	-8	659	0	0	13.0	0.1	13.0
62305	99	DIRN	SUR	50	0	743	0	0	14.2	2.0	14.3
63119	99	DIRN	SUR	56	-3	48	0	0	22.5	-11.6	25.3

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
64041	99	DIRN	SUR	61	-3	631	0	0	11.0	12.1	16.4
64045	99	DIRN	SUR	59	-12	1383	0	0	11.8	4.1	12.5
64046	99	DIRN	SUR	61	-4	616	0	0	12.0	-2.8	12.3

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ASDE01	ASDE02	ASDE03	ASDE04	ASDK01	ASDK02	ASDK03	ASEU02	ASEU03
ASEU04	ASEU05	ASEU06	ASFR1	ASFR3	ASFR4	DBLK	01001	01004
01010	01028	01241	01400	01415	01492	02185	02365	02527
02591	02836	02935	02963	03005	03238	03354	03502	03743
03808	03882	03918	03953	06260	06610	08001	08023	08190
08221	08302	08430	10035	10113	10141	10184	10238	10304
10393	10410	10548	10618	10739	10771	10868	10954	10962
16045	16080	16245	16320	16429	16546	17607	33008	43599
47155	60018	61901	89002	89564	89571	89611	93112	93417
93817	93844	93997	94120	94150	94170	94203	94294	94299
94302	94312	94326	94332	94374	94403	94430	94461	94510
94578	94610	94637	94638	94653	94659	94672	94711	94767
94776	94802	94821	94866	94910	94975	94995	94996	94998
95527								

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ASDE01	ASDE02	ASDE03	ASDE04	ASDK01	ASDK02	ASDK03	ASEU02	ASEU03
ASEU04	ASEU05	ASEU06	ASFR1	ASFR3	ASFR4	DBLK	10141	17607
33008	47155	71146	76903	94767				

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., Monthly Weather Review, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERs, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPs and PILOTSHIPs this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PI-LOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.